



LPG

**QUICK
REFERENCE
GUIDE**

**GUÍA DE REFERENCIA
GUIDE DE RÉFÉRENCE FACILE**

KEEPS YOU GOING.

		Description ▼	Application	Notes	Years
	SY1237617	Diaphragm assembly			
	SY1237619	Diaphragm assembly			
	SY35236	Filter kit	6FGCU15-18, 7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine	3-way catalytic	01/01 to 01/07
	SY1237618	Fuel filter	S2.0-3.5FT, H1.6-2.0FT		
	SY33229	Fuel lockoff solenoid	42-6FGU15-25, 42-6FGCU15-30, 7FGU15-32, 7FGCU15-32 with 4Y engine		11/97 to 01/00
	SY51466	Overhaul kit	6FG10-30, 7FG10-45 with 4Y and 5K	fuel warning	08/98 to 09/06
	SY37836	Overhaul kit	42-6FGCU15-18, 7FGCU15-32, 7FGU15-32 with 4Y engine	3-way catalytic	01/00 to 01/07
	SY51468	Overhaul kit valve	6FGCU15-18, 7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine	3-way catalytic	10/00 to 01/07
	SY37837	Regulator	8FGCU20-32, 8FGU15-32 with 4Y engine		12/06 and Up
	SY59383	Regulator	6FG10-30 with 4Y or 5K engine		09/97 to 08/98
	SY59384	Regulator	7FG10-30 with 4Y or 5K engine		08/98 to 06/00
	SY59385	Regulator	42-6FG18-25, 42-6FGCU15-30, 52-6FGCU20-30, 52-6FGU20-30 with GM4-181 or 4Y engine		01/94 to 11/97

AISAN

		Description ▼	Application	Notes	Years
	SY59381	Regulator	42-6FGCU15-30, 42-6FGU15-25, 52-6FGCU20-30, 52-6FGU20-30, 7FGCU20-32, 7FGU15-32 with 4Y engine		
	SY37838	Regulator	7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine	3-way catalytic	12/03 to 01/07
	SY37839	Regulator	7FGCU20-32, 7FGU15-32 with 4Y engine	3-way catalytic	12/03 to 01/07
	SY59386	Regulator	3FG20-25, 42-3FG20-25, 4FG10-15, 4FGC20-25, 42-4FG10-15, 42-4FGC20-25 with 4P or 5R engine		04/78 to 09/80
	SY59390	Regulator	7FGCU15-32, 7FGU15-32 with 4Y engine		02/01 to 01/07
	SY59387	Regulator	7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine	3-way catalytic	12/03 to 01/07
	SY59388	Regulator	7FGCU20-70, 7FGU15-80 with GM6-262 or 4Y engine	Standard 4Y-ECS	"11/00 to 11/06 or 4Y engine
	SY59389	Regulator	7FGCU20-32, 7FGU15-32 with 4Y engine	4Y-ECS	12/03 to 01/07
	SY59391	Regulator	3FG33-60, 02-3FG33-40 with 2F engine		06/80 to 12/90
	SY59392	Regulator	7FG10-45, 42-7FG15-25 with 4Y or 5K engine	fuel warning	08/98 to 09/06
	SY59393	Regulator	42-6FGU15-25, 42-6FGCU15-30, 7FGU15-32, 7FGCU15-32 with 4Y engine		11/97 to 01/00
	SY59394	Regulator	7FGU15-32, 7FGCU15-32 with 4Y engine	fuel warning	01/00 to 01/07

		Description ▼	Application	Notes	Years
	SY59395	Regulator	7FGU15-80, 7FGCU20-70 with 4Y engine	3-way catalytic	12/03 to 01/07
	SY59396	Regulator	GLC050-065TG, GLC050-065ZG, GLC040-050RG, GLP050-065TG, GLP050-065ZG, GLP040-050RG, GLC030-040AF (open loop)		
	SY59397	Regulator	GLC050-065TG, GLC050-065ZG, GLC040-050RG, GLP050-065TG, GLP050-065ZG, GLP040-050RG, GLC030-040AF, S25-60XM, H25-60XM (closed loop)		
	SY59398	Regulator	GLC030-070VX, GLP030-070VX, S25-40XM, H25-40XM, S30-70FT, H30-70FT		
	SY1237614	Regulator			
	SY1237615	Regulator	5FGC10-15, 30-5FGC10-15 4Y or 4p		
	SY1237620	Regulator			
	SY1237621	Regulator			
	SY1237616	Valve assembly			

ALGAS

C250A Series - Converter Assembly

	Description ▼
AGC250A	2 Stage silver spring
AGC250A-1	2 Stage silver spring



AGSA2330-2	Diaphragm service assembly 60 series silicone
------------	---



AGSA2553-2	Diaphragm service assembly 80 and 90 series silicone
------------	--



	Description ▼
AG701	Filter



AG1-7010	Repair kit C250A converter
----------	----------------------------



AG2210	Repair kit C250 power ram
--------	---------------------------



BEAM

120A Series ▼

BM120A	Regulator with idle vacuum lock
--------	---------------------------------



1501-L Series ▼

BM1501L	Safety microvac switch
---------	------------------------



60 Series - Regulator Tamper Proof ▼

BMT60-A-VN-N	Vacuum lock and idle screw
BMT60-A-VP-N	Vacuum lock, idle screw and primer
BMT60-A-NN-N	Idle screw
BMT60-A-NP-N	Idle screw and primer



60 Series II - Regulator Tamper Proof ▼

BMT60-A-NN-N	Replaced T60E
BMT60-A-NP-N	Replaced T60C, T60G
BMT60-A-VN-N	Replaced T60
BMT60-A-VP-N	Replaced T60B



60-RK Series - Repair Kit ▼

BM60-RK	Model T60
---------	-----------



60-RBK Series - Rebuild Kit ▼

BMRK60	T60
--------	-----



FL-206 Series-Valve Auto Shutoff Gasoline ▼

BMFL-206	12V female 1/8 NPT inlet and outlet
----------	-------------------------------------



FL-218-12V Series - Filterlock ▼

BMFL-218-12V	12V LPG 1/4 NPT female inlet 1/4 NPT male outlet
--------------	--



FL-418-12V Series - Filterlock ▼

BMFL-418-12V	12V LPG 1/4 NPT female inlet 1/4 NPT male outlet
--------------	--



FL-2513 Series - Repair Kit ▼

BMFL-2513	Filterlock FL-218 element and gasket
-----------	--------------------------------------





	Description ▼
CE2314	12V fuellock
CE2384B	12V fuellock filter
CE2002	Carburetor
CE2469	Carburetor
CE2518	Carburetor
CE2520	Carburetor
CE323-529	Coil
CE2504A	Converter model 6 with solenoid
CE2335B	Converter model G85 with solenoid
CE2380	Converter model G85A with electric primer
CE2379	Converter model G85A with manual primer
CE4012	Converter model G85A without primer
CE1477B	Converter model H with solenoid
CE168-564	Drag link

	Description ▼
CE168-568	Drag link
CE168-569	Drag link
CE286-1794	Filter kit
CE286-1798	Filter kit
CE286-1827	Filter kit
CE2685	Fuellock filter
CE286-1301A	Repair kit
CE286-1332	Repair kit
CE286-1554	Repair kit
CE286-1688	Repair kit
CE286-1826	Repair kit
CE310-6	Repair kit
CE317-529	Solenoid

GFI


	Description ▼	Hyster	Yale
SY37891	Adapter injector	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37865	Adapter injector	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37883	Adapter injector	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37870	Drain plug	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37868	Fitting 3/8"	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37890	Fuel hose	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37862	Fuel rail	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37875	Fuel rail	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37885	Fuel rail LH assembly	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37884	Fuel rail RH assembly	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37876	Fuel sensor	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37871	Lockoff kit	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37886	LPG converter	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37867	LPG filter	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37863	LPG injector	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37881	LPG injector	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37878	LPG regulator	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37887	LPG repair kit	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37892	LPG repair kit	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37864	LPG vapor hose	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37874	Magnetic filter	S40-70FT LP/gas	GLP40-70 2.4L LP/gas

GFI


	Description ▼	Hyster	Yale
SY37866	O-Ring	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37880	O-Ring adapter	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37872	O-Ring connector	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37882	O-Ring inlet	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37877	O-Ring kit	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37869	Outlet fitting	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37861	Oxygen sensor	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37879	Post CAT O2 sensor	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37888	Regulator	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37873	Screw kit	S40-70FT LP/gas	GLP40-70 2.4L LP/gas
SY37889	Throttle assembly	S40-70FT LP/gas	GLP40-70 2.4L LP/gas

IMPCO
ATGC-30312 Series - Assembly Spectrum Throttle Body ▼


IMPATGC-30312-32-25-64	Tier 2
IMPATGC-30312-38-25-64	Governed, tier 2
IMPATGN-30312-32-25-64	Governed, tier 2
IMPATGN-30312-38-25-64	Tier 2

AV1 Series - Air Gas Valve ▼


IMPAV1-14	Assembly with (reg) flow 72/80
IMPAV1-14-12	Assembly
IMPAV1-14-2	Assembly with (lean) flow 65/70
IMPAV1-14-3	Assembly with silicone (reg) flow 72/80
IMPAV1-14-4	Silicone (lean) flow 65/70
IMPAV1-14-76-2	Assembly with silicone flow 61/68 Nissan
IMPAV1-25413	Assembly
IMPAV1-25413-2	Assembly with silicone
IMPAV1-25590	Assembly CT60
IMPAV1-30115	Assembly FT60 tier 1 only

BP-4T Series - Upgrade Kit ▼


IMPBP-4T	Toyota, 4Y & 4P engine
----------	------------------------

CA55 Series - CA55 Carburetor Assembly ▼


IMPCA125-094	Carburetor assembly
IMPCA125-100-2	Carburetor assembly with silicone diaphragm
IMPCA125-134	Carburetor assembly with governor assembly
IMPCA125-18	Carburetor assembly
IMPCA125-26	Carburetor assembly
IMPCA125-38	Carburetor assembly
IMPCA125-52	Carburetor assembly
IMPCA125-6	Carburetor assembly
IMPCA125-76-2	Carburetor assembly lean flow
IMPCA125-77G	Carburetor assembly with governor assembly
IMPCA125-8	Carburetor assembly
IMPCA125M-292	Mixer assembly for CA125-134 with air horn

CA55M Series - Mixer Assembly CA55M ▼


IMPCA55M-500	Straight draft
IMPCA55M-500-2	Lean air gas valve straight draft
IMPCA55M-500-4	Lean fuel range straight draft
IMPCA55M-500-9	Lean europe straight draft

CA100 Series - Carburetor Assembly ▼


IMPCA100-10	90°
IMPCA100-108	90° lean burn
IMPCA100-110	90°
IMPCA100-12	90°
IMPCA100-134	90° lean burn
IMPCA100-138	90° lean burn
IMPCA100-139	90°
IMPCA100-180	90°
IMPCA100-183	90° twin spring return
IMPCA100-194	90° AA3-67 adapter plate
IMPCA100-245	90° long shaft
IMPCA100-272	90°
IMPCA100-334	90°
IMPCA100-498	90°
IMPCA100-621	90°
IMPCA100-64G	90° and adapter plate
IMPCA100-656	90°
IMPCA100-66	90° flow 72/80
IMPCA100-70	90°
IMPCA100-7108	90°
IMPCA100-8	90°
IMPCA100-91A	Assembly

CA125 Series - CA125 ▼


IMPCA125-094	Carburetor assembly
IMPCA125-100-2	Carburetor assembly with silicone diaphragm
IMPCA125-134	Carburetor assembly with governor assembly
IMPCA125-18	Carburetor assembly
IMPCA125-26	Carburetor assembly
IMPCA125-38	Carburetor assembly
IMPCA125-52	Carburetor assembly
IMPCA125-6	Carburetor assembly
IMPCA125-76-2	Carburetor assembly lean flow
IMPCA125-77G	Carburetor assembly with governor assembly
IMPCA125-8	Carburetor assembly
IMPCA125M-292	Mixer assembly for CA125-134 with air horn

CB Series - Cobra Converter Assembly ▼


IMPCB-30177	Blue stripe spring
IMPCB-30712-002	-0.05 wc
IMPCOBRA	0.05 wc
IMPCOBRA-I	-1.50 wc

CS4 Series - Cobra Converter Assembly ▼


IMPCS4-30772-004	Tier 2 no repair kit available
------------------	--------------------------------

EB Series - Converter Assembly Model E ▼


IMPEB	Blue spring
IMPEB-2	Blue spring silicone diaphragm
IMPEB-2ULC	Blue spring Canada

ECM Series ▼


IMP0528802	ECM GM3.0L
IMP0728801	ECM 3.0L ECE
IMP0529802	ECM 3.0L
IMP1222701	ECM GAS 4.3L
IMP1527801	ECM
IMP1427701A	ECM

ET98 Series - Lockoff ▼


IMPET98-30515-001	Filter UL tier 2
IMPET98-50362-001	¼ NPT female inlet ¼ NPT male outlet

FT60M Series - Mixer Assembly ▼


IMPFT60M-3	60 Series feedback
IMPFT60M-30741-52-001	60 Series tier 2
IMPFT60M-30741-52-002	60 Series tier 2
IMPFT60M-30741-52-003	60 Series tier 2
IMPFT60M-30741-52-004	60 Series tier 2
IMPFT60M-30741-52-005	60 Series tier 3
IMPFT60M-31139-52-001	60 Series tier 3
IMPFT60M-31139-52-003	60 Series tier 3
IMPFT60M-3-3	Fixed jet .400 open loop

FT100M-30828-52 Series - Mixer, Tamper Proof ▼


IMPFT100M-30828-52-001	100 Series tier 2
IMPFT100M-30828-52-003	100 Series tier 3

FT150 Series - Carburetor Assembly ▼


IMPFT150-30919-20-001	20-150 tier 3
-----------------------	---------------

ITK Series - Test Kit ▼


IMPITK-1	Impco standard systems
IMPITK-4	Impco spectrum 2 and 3

JB/JO Series - Model J Converter Assembly ▼


IMPJB	Blue spring
IMPJB-2	Blue spring silicone diaphragm
IMPJB-C-725	Blue spring with check valve
IMPJO	Orange spring
IMPJO-2	Orange spring silicone diaphragm

LB Series - Model L Converter Assembly ▼


IMPLB	Blue spring
IMPLB-2	Blue spring silicone diaphragm

RCV Series - Regulator Check Valve ▼


IMPRCV-15834	Closed loop application
--------------	-------------------------

RK-CA55 Series - Repair Kit Model ▼


IMPRK-CA55	CA50 and CA55
IMPRK-CA55-2	CA55 lean burn

RK-COBRA Series - Repair Kit ▼


IMPRK-COBRA	Cobra
-------------	-------

RK-E Series - Repair Kit ▼

IMPRK-E	Model E
IMPRK-E-2	Model E silicone diaphragm

IMPRK-E-3	Model E fluosilicone diaphragm
-----------	--------------------------------


RK-EPR Series - Repair Kit ▼

IMPRK-EPR-4	EPR regulator (major) tier 3
-------------	------------------------------


RK-J Series - Repair Kit ▼

IMPRK-J	Model J
IMPRK-J-2	Silicone diaphragm

IMPRK-J-C	With check valve
-----------	------------------


RK-L Series - Repair Kit ▼

IMPRK-L	Model L
IMPRK-L-2	Model L silicone diaphragm


RK-VFF30 Series ▼

IMPRK-VFF30	Model VFF30
IMPRK-VFF30-2	Model VFF30 silicone diaphragm

IMPRK-VFF30-3	Model VFF30 fluosilicone diaphragm
---------------	------------------------------------


VFF30 Series ▼

IMPVFF30	Lockoff/filter
IMPVFF30-2	Lockoff/filter silicone diaphragm

IMPVFF30-3	Lockoff/filter fluosilicone diaphragm
------------	---------------------------------------





	Description ▼	Application
SY37920	Adapter	CMP40-50SL CGC40-70
SY37901	Adapter	C15-C20S(L/CL) C20-35(L/CL)
SY1237624	Air/gas valve	G20-32E3
SY37897	Bolt	C15-C20S(L/CL) C20-35(L/CL), GC20-35P-5, GC15S-20S, GC20-32P-3
SY37929	Bolt	C20-35(L)(CL)
SY37935	Bolt	CMP40-50SL CGC40-70
SY37904	Bracket	C15-C20S(L/CL) C20-35(L/CL)
SY37911	Bracket	C15-C20S(L/CL) C20-35(L/CL)
SY37915	Bracket	C15-C20S(L/CL) C20-35(L/CL)
SY37916	Bracket	C15-C20S(L/CL) C20-35(L/CL)
SY37966	Bracket	GC20-32E-3, GC20-33P-3
SY37912	Bushing	C15-C20S(L/CL) C20-35(L/CL), GC20-32E-3
SY37924	Control module	2.0L LP
SY37925	Control module	2.4L LP
SY37926	Control module	2.4L LP
SY37927	Control module	4.3L LP
SY37928	Control module	2.4L Diesel
SY37956	Control module	2.0L LP
SY37957	Control module	4.3L LP
SY37958	Control module	2.4L
SY37968	Control module	4.3L LP
SY37936	Drain	CMP40-50SL CGC40-70
SY37931	Electric pump	G20-32E-3, G20-33P-3
SY37895	Fitting	C15-C20S(L/CL) C20-35(L/CL)
SY37923	Fitting	CMP40-50SL CGC40-70
SY1237623	Fuel pump	G20-32E3
SY37937	Fuel temp sensor	C15-C20S(L/CL) C20-35(L/CL)
SY37896	Gasket	C15-C20S(L/CL) C20-35(L/CL)
SY37903	Gasket	C15-C20S(L/CL) C20-35(L/CL)
SY37907	Gasket	C15-C20S(L/CL) C20-35(L/CL)
SY37908	Gasket	C15-C20S(L/CL) C20-35(L/CL)
SY37930	Gasket	C20-35(L)(CL)
SY37965	Gasket	GC20-32E-3, GC20-33P-3
SY37918	Gasket	CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2
SY37943	Mixer gasket	C15-C20S(L/CL) C20-35(L/CL)
SY37944	Mixer gasket	C15-C20S(L/CL) C20-35(L/CL)
SY37909	Ignition cable	C15-C20S(L/CL) C20-35(L/CL), GC20-35P-5, GC15S-20S, GC20-32P-3
SY37948	Ignition coil	G35-50S(C)-2, G50-70S-2, G50-70S-2
SY37950	Ignition coil	C15-C20S(L/CL) C20-35(L/CL), GC20-32E-3, G15-20S(C)-2
SY37961	Injector	G50-70S-5, G50S-2-70S-5, GC20-33E-5
SY37938	LP regulator	CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2
SY37941	LP regulator	C15-C20S(L/CL) C20-35(L/CL)



	Description ▼	Application
SY37962	LP regulator	G50-70S-5, G50S-2-70S-5, GC20-33E-5
SY37933	Carb mixer	C15-C20S(L/CL) C20-35(L/CL), G20-32E-3, G20-33P-3
SY37946	Carb mixer	CGC40-70, CMP40-50SL, C15-C20S(L/CL) C20-35(L/CL)
SY37954	Carb mixer	C15-C20S(L/CL) C20-35(L/CL), G20-32E-3, G20-33P-3
SY37967	Carb mixer	C15-C20S(L/CL) C20-35(L/CL), GC30-32P-5, GC20-33P-5, GC15S-18S-2/GS
SY37942	Module ignition control	CGC40-70, CMP40-50SL
SY37951	O2 sensor	C15-C20S(L/CL) C20-35(L/CL), GC20-32E-3, G15-20S(C)-2
SY37898	O-Ring	C15-C20S(L/CL) C20-35(L/CL), GC20-35P-5, GC15S-20S, GC20-32P-3
SY37899	O-Ring	C15-C20S(L/CL) C20-35(L/CL)
SY37922	O-Ring	CMP40-50SL CGC40-70
SY37963	Plate	GC20-32E-3, GC20-33P-3
SY37932	Regulator assembly	C15-C20S(L/CL) C20-35(L/CL), G20-32E-3, G20-33P-3
SY37953	Regulator repair kit	RK-2001-RSA
SY37955	Regulator repair kit	RK-2001 Primary diaphragm
SY37906	Screw	C15-C20S(L/CL) C20-35(L/CL)
SY37960	SECM	3.0L
SY37969	SECM	2.0L LP Doosan
SY37970	SECM	2.0L LP Doosan
SY37971	SECM	2.0L LP Doosan
SY37972	SECM	2.0L LP Doosan
SY37974	SECM	2.4L LP Doosan
SY37975	SECM	2.4L LP Doosan
SY37976	SECM	2.4L LP Doosan
SY37977	SECM	2.4L LP Doosan
SY37978	SECM	2.4L LP Doosan
SY37979	SECM	4.3L LP Doosan
SY37980	SECM	4.3L LP Doosan
SY37981	SECM	4.3L LP Doosan
SY37959	SECM	G424E Dual fuel
SY37939	SECM engine	CGC40-70, CMP40-50SL
SY37940	SECM engine	C15-C20S(L/CL)
SY37934	SECM engine	C20-35(L/CL)
SY1237625	SECM engine	G20-33P, G35 C-5
SY37910	Sensor	C15-C20S(L/CL) C20-35(L/CL)
SY37914	Sensor	C15-C20S(L/CL) C20-35(L/CL)
SY37952	Solenoid	G50-70S-5, G50S-2-70S-5, GC20-33E-5
SY37919	Body throttle	CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2
SY37947	Trim valve	C15-C20S(L/CL) C20-35(L/CL), GC30-32P-5, GC20-33P-5, GC15S-18S-2/GS
SY37949	Trim valve	C15-C20S(L/CL) C20-35(L/CL), GCS15-20S-2, GC50S-2-70S-5
SY37917	Valve cover	CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2
SY37913	Washer	C15-C20S(L/CL) C20-35(L/CL)
SY37905	Washer	CMP40-50SL, CGC40-70, G60-70S-5, GC20-33P-5

EXPAND YOUR KNOWLEDGE TODAY WITH TVHU!

Check out TVHU online classes, designed to fit your busy schedule. These industry specific courses are available at anytime, anywhere!

TVHU Online Class Library

1. Management by Objective
2. Creating Job Descriptions
3. Eliminating Fraud
4. ASR Pay Plan
5. Inventory Control
6. Motivating and Compensating
7. Counter Intelligence
8. Enhancing the Customers' Buying Experience
9. Value Added Selling
10. Customer Satisfaction
11. When Your Price is Right
12. Sales Psychology
13. The Sales Call
14. Email Marketing
15. Website Creation
16. Social Media 101

Contact your sales representative or go to www.tvh.com for more information and to enroll today!

toll free (800) 255-4109 • www.tvh.com



	Description ▼	Application	Notes
SY37833	Diaphragm assembly	1F1, 1F4, L01 and L02 Series	
SY37831	Diaphragm assembly	1F1 and 1F4 Series	
SY37834	Diaphragm assembly	1F1, 1F4, L01 and L02 Series	
SY37832	Diaphragm kit	L01 and L02 Series	
SY37830	Repair kit		Applicable by vaporizer unit
SY1237622	Throttle body	L01 and L02 Series	All with K25 engine
SY37835	Valve assembly	FG/FD 15-35	
SY33394	Vaporizer	L01 and L02 Series	All with K21 and K25 engine
SY37826	Vaporizer	1F1 and 1F2 Series	FG15/18/20-20 with K21 engine
SY37827	Vaporizer	FG/FD 15-35	
SY384907	Vaporizer	FG40K-45K GPK40K/PG40KL/ GP45/GP5	2004-2006 TB45
SY37828	Vaporizer	FG/FD15-35	
SY37829	Vaporizer	FG15Zn/18ZN/20CN/20N/25N with K21 engine	
SY37841	Vaporizer	L01 and L02 Series	GP15,18,20,25ZN, GP30N K25 engine
SY87186	Vaporizer		
SY384951	Vaporizer	FG15H/18H-20, FG20 thru 35-16, G20H/20N/25H/25N/30N-16 with K21 and K25 engine	
SY37840	Vaporizer assembly	K21 and K25 engine	AX50, BX50 - K15,21,25, FG/FD10,15,18
SY384909	Vaporizer assembly	FG20/25/28/30/32/35-16 FD35-50-8 with K21and K25 engine	
SY37842	Vaporizer repair kit	L01 and L02 Series	



	Description	Total Height ▼	Venturi	Mounting Holes	Type Connection Collector Side	Type Connection Throttle Side
SY58970	Carburetor	4.37" 112mm	Single	2	Hose	D
SY33297	Carburetor	4.41" 112mm	Single	2	Hose	D
SY58948	Carburetor	4.80" 122mm	Double	4	Hose	D
SY58946	Carburetor	4.80" 122mm	Double	4	Hose	D
SY31692	Carburetor	5.00" 127mm	Single	2	Hose	D
SY58945	Carburetor	5.00" 127mm	Single	2	Hose	D

		Description ▼			Description ▼
	RE3165C	Bleeder #54 orifice		RE7513-25	Seal ring
	RE3174-93L	Cap and lanyard		RE7141F	Tank connector
	RE7547B	Filler valve		RE7141M	Tank connector
	RE3125L	Hydrostatic relief valve		RE9101P5	Tank shut-off valve

TOTALSOURCE®

	Fuel Weight (full)	Mounting Style ▼	Features		Fuel Weight (full)	Mounting Style ▼	Features
SYTB-2 	33½lb (43½lb)	Horizontal	Stationary	SY384941 	33½lb	Strap with latch	Stationary
SYTB-2-P 	33½lb	Horizontal	Stationary	SY384942 	33½lb	Strap with latch	Stationary
SYTB2-60 	33½lb	Latch universal fit	Stationary	SYTB-28 	33½lb (43½lb)	Vertical	Stationary
SYTB-295 	33½lb	Strap	Stationary	SYTB-3 	20lb	Vertical	Stationary
SY384939 	33½lb	Strap	Stationary				

MANCHESTER

Manchester - Aluminum	LPG Capacity (approx.) ▼	Water Capacity	Tare Capacity	Collar Diameter	Total Height	Full Fuel Weight		Diagram
	SY9720 5gallon (19L) vapor only	48lb (21kg)	16½lb (7kg)	10½" (267mm)	20" (508mm)	20lb (9kg)		A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9729 Dial only - SY9728 D: Safety relief * E: Filler valve - RE7547B F: Bleeder valve - RE3165C F: Bleeder valve (low emission) - RE3165DP * Replacement parts not available
	SY9721 8gallon (30L)	80lb (36kg)	23½lb (11kg)	10½" (267mm)	27¾" (705mm)	33½lb (15kg)		
	SY9722 10gallon (38L)	104lb (47kg)	43lb (19kg)	10¼" (260mm)	33⅝" (846mm)	44lb (20kg)		

MANCHESTER

Manchester - Steel		LPG Capacity (approx.) ▼	Water Capacity	Tare Capacity	Collar Diameter	Total Height	Full Fuel Weight	Diagram	
	SY9723	5gallon (19L)	48lb (21kg)	27lb (12kg)	10¼" (260mm)	19" (483mm)	20lb (9kg)		A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9729 Dial only - SY9728 D: Safety relief* E: Filler valve - RE7547B F: Bleeder valve - RE3165C F: Bleeder valve (low emission) - RE3165DP * Replacement parts not available Δ Does not come with filler valve
	SY9724	8gallon (30L)	80lb (36kg)	36lb (16kg)	10¼" (260mm)	27¼" (692mm)	33½lb (15kg)		
	SY9725	10gallon (38L)	104lb (47kg)	43lb (19kg)	10¼" (260mm)	33¾" (846mm)	43½lb (20kg)		
	SY9726 Δ	8gallon (30L)	80lb (36kg)	36lb (16kg)	10¼" (260mm)	27¼" (692mm)	33½lb (15kg)		
	SY9713	3gallon (12L)	33½lb (15kg)	22lb (10kg)	8" (203mm)	16½" (427mm)	14¼lb (7kg)		A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9729 Dial only - SY9728 D: Safety relief* E: Filler valve - RE7547B F: Bleeder valve - RE3165C F: Bleeder valve (low emission) - RE3165DP * Replacement parts not available
	SY9715	3gallon (12L)	33½lb (15kg)	22lb (10kg)	8" (203mm)	16½" (427mm)	14¼lb (7kg)		

WORTHINGTON

Worthington - Aluminum		LPG Capacity (approx.) ▼	Water Capacity	Tare Capacity	Collar Diameter	Total Height	Full Fuel Weight	Diagram	
	SY9700	5gallon (19L)	50lb (22kg)	19lb (9kg)	12½" (318mm)	21¾" (583mm)	20lb (9kg)		A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9709 Dial only - SY9728 E: Filler valve - RE7547B G: Bleeder valve - RE3165C G: Bleeder valve (low emission) - RE3165DP * Replacement parts not available"
	SY9701	8gallon (30L)	80lb (36kg)	23½lb (11kg)	12½" (318mm)	28¾" (721mm)	33½lb (15kg)		
	SY9702	10gallon (38L)	104lb (47kg)	26½lb (12kg)	12½" (318mm)	34½" (867mm)	43½lb (20kg)		
Worthington - Steel									
	SY9703	5gallon (19L)	48lb (21kg)	26½lb (12kg)	12½" (318mm)	19" (487mm)	20lb (9kg)		A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9709 Dial only - SY9728 E: Filler valve - RE7547B G: Bleeder valve - RE3165C G: Bleeder valve (low emission) - RE3165DP H: Plugged vapor service * Replacement parts not available Δ Does not come with filler valve
	SY9704	8gallon (30L)	80lb (36kg)	34½lb (16kg)	12½" (318mm)	26¾" (692mm)	33½lb (15kg)		
	SY9705	10gallon (38L)	104lb (47kg)	40lb (18kg)	12½" (318mm)	32¾" (832mm)	43½lb (20kg)		
	SY9706 Δ	8gallon (30L)	80lb (36kg)	36lb (16kg)	10¼" (260mm)	26¾" (379mm)	33½lb (15kg)		



16355 S. Lone Elm Rd / Olathe, KS 66062 / United States
WWW.TVH.COM