

# **TOTAL SOURCE<sup>®</sup>**

LIFT TRUCK  
GEAR



**Outfit Your Truck with Lift Truck Gear**





**A few of the MANY PRODUCTS inside!**  
**¡Algunos de los muchos PRODUCTOS que se encuentran adentro!**  
**Une petite partie de NOS NOMBREUX PRODUITS à l'intérieur!**



**BATTERY**  
**BATERÍA**  
**BATTERIE**  
 2-4



**ENERGIC PLUS BATTERY CHARGER**

- Meets UL and CSA standards
- Fully automatic
- Digital display
- Equalization system
- Safety timer for emergency shutdown
- New generation microprocessor and digital electronic board
- Wrong battery detection
- Autotest function

See More  
 on Page 2



**SAFETY**  
**SEGURIDAD**  
**SÉCURITÉ**  
 5-9



**SAFE-T-LOCK**

- Waterproof, IP65
- UL, CE and RoHS compliant
- 99 programmable user codes
- Maintenance cycle - 250 "on" hours, unit will beep intermittently until reset
- Last user ID function - supervisor can see who last used the unit
- Warranty: 1 year

**Prevent**  
**Unauthorized Use**



**TRAINING**  
**CAPACITACIÓN**  
**FORMATION**  
 10



**NARROW AISLE LIFT TRUCK**

- 1 (30 min.) training video
- 1 operator manual
- 1 Instructor guide
- 10 wall certificates
- 10 wallet cards
- 1 (17" x 22") poster
- Available in SPANISH

See More  
 TRAINING videos  
 on Page 10



**SEATS**  
**ASIENTOS**  
**SIÈGES**  
 11



**SEATS**

- Welded gusset corners
- High density foam
- Sewn with nylon thread
- Black powder coating
- Adjusters included
- Heavy gauge steel structure
- Heavy duty vinyl

**Find SEAT BELTS**  
**on page 11**



**MATERIAL HANDLING**  
**MANEJO DE MATERIALES**  
**MANUTENTION**  
 11-27



**FORK EXTENTIONS**

- All-steel construction for years of reliable use
- Powder coat safety yellow finish for durability
- Each extension includes warning and operating stickers
- Sold in pairs
- Kit includes: 1 can of cleaner/remover, 1 can of penetrant, 1 can of developer and instructions
- Ship ground only




# BATTERY - ACCESSORIES ACCESORIOS DE BATERÍA ACCESSOIRES DE BATTERIE

## CONNECTOR LOCKOUTS CONECTOR DE CIERRE CONNECTEUR DE LOCK-OUT

- For use with 175AMP to 350AMP connectors
- Lock not included



PART# SY175-LOCKOUT



PART# SY350-LOCKOUT



## PART# SY71242 LOCK-OUT BOX CAJA DE CIERRE CASE DE LOCK-OUT

The Equipment Lock-out box is designed to lock-out a lift truck and other equipment until repairs are made.

- Battery connectors
- Valves
- Propane connectors
- AC plugs
- Cylinders
- Starter batteries



**Kit Includes:**  
lock-box, (4) lock-out tags, lock, and (4) pull straps

Prevent the use of UNSAFE equipment being used!

PART #	DESCRIPTION
SY71243	Lock-out Tags (25)

**OSHA STATES:** "The OSHA standard for powered industrial truck training 29 CFR 1910.178 (q) (7) requires daily, pre-shift inspections of powered industrial trucks"

## PART# TSS12-24-36-48V ENERGIC BATTERY CHARGER CARGADOR DE BATERÍA ENERGICA CHARGEUR DE BATTERIE ENERGIC

- The Energic Plus TSS battery chargers have been designed to charge Pb batteries
- Input current 15AMP max
- The time of charge is set by the mechanical timer for 0-24 hours
- Meets UL and CSA standards
- Handles for easy portability
- Compact dimensions: 17.2" x 11.6" x 10.8"
- Weight: 60Lbs




MULTI-VOLT CHARGER

## DC/DC CONVERTERS DC/DC CONVERTIDORES CONVERTISSEURS DC/DC

- Operate 12v accessories from 20 to 48v
- UL recognized
- 8"L x 5 9/16"W x 2 3/4"H (203MM x 141MM x 70MM)
- Input voltage range: 20v (minimum) 48v (maximum)
- Output voltage: 13.6-13.9v
- Output current: 24-27AMP (full load)
- Reverse voltage protection
- Short circuit protected
- Vibration resistant
- Weatherproof





PART# SY1200-25



- Operate 12v accessories from 18 to 50v
- UL recognized
- Input voltage range: 18v (minimum), 50v (maximum)
- Vibration resistant
- Weatherproof
- Output voltage: 13.6-13.9v
- Short circuit protected
- Output current: 5-6.5AMP (full load)
- Reverse voltage protection
- 4"L x 3 5/8"W x 2 1/4"H (102MM x 92MM x 57MM)

PART# SY1200-5



- Operate 12v accessories from 18 to 50v
- UL recognized
- Input voltage range: 18v (minimum) 50v (maximum)
- Output current: 10-13AMP (full load)
- 5"L x 4 5/16"W x 3"H (127MM x 110MM x 76MM)
- Vibration resistant
- Weatherproof
- Output voltage: 13.6-13.9v
- Short circuit protected
- Reverse voltage protection

PART# SY1200-10

- Operate 12v accessories from 72 to 80v
- Vibration resistant
- Input voltage range: 72-80v nominal
- Weather resistant
- Output voltage: 12v
- Short circuit protected
- Output current: 22AMP (full load)
- 6"L x 5"W x 2 7/8"H (175MM x 127MM x 73MM)
- Reverse voltage protection

PART# GEIC4486CNV4HF



- Operate 12v accessories from 24 to 48v
- Vibration resistant
- Input voltage range: 24-48v nominal
- Weather resistant
- Output voltage: 12v
- Short circuit protected
- Output current: 22AMP (full load)
- 6 7/8"L x 5"W x 2 7/8"H (175MM x 127MM x 73MM)
- Reverse voltage protection

PART# GEIC4486CNV4LF



**PART# SYMTCCABR58H**

**CABLE RETRACTORS**  
**CABLES RETRACTORES**  
**ENROULEURS DE CÂBLES**

**POGO STICK**

- Heavy duty spring with safety chain
- Cable grommet restrainer
- Durable chrome-plated steel
- Shipping weight: 7lbs. (3kg)
- 38"L (965mm) x 1"W (25mm)



\* SYMTCCABR58H - G GROMMET  
 SYMTCCABR58H - M MOUNT

Complete with 5/8" - 11 threaded stud for mounting



**PART# SYCABLEREEL**  
**CABLE REEL**

- Heavy duty long-life spring
- Easy tension adjustment - no tools required
- 360° swivel shackle
- Quick installation

**PART# SYRRTM10814-0**

**CORD REEL**

- 10 feet of cord (254mm)
- Adjustable spring
- Compact and lightweight
- Shipping weight: 7lbs (3kg)
- Bolts directly to charger



**PART# SY1003-005**

**ACID EATER-BATTERY STATION CLEANING KIT**  
**DEVORADOR DE ÁCIDO PARA ESTACIÓN DE BATERÍA (KIT DE LIMPIEZA)**  
**TROUSSE DE STATION DE NETTOYAGE D'ACIDE DE BATTERIE**

- Kit contains everything needed to clean forklift batteries
- Neutralizes and cleans batteries, stands, rollers, forklift battery compartments and concrete floors
- Eliminates trickle discharge to ensure optimum performance
- Minimizes safety risks by eliminating acid burns and shock
- pH color indicators alert users of acidic corrosion
- Easy to apply and safe to use on metal, plastic and rubber
- Complies with OSHA Regulation 1917.157(c)
- Durable kit can withstand any environment



**OSHA**  
**Compliant**

PART #	DESCRIPTION
SY1004-004	Acid Eater neutralizer and degreaser - 1Gal
SY1006-003	Acid Resistant PVC apron
SY1006-005	Acid Resistant goggles
SY1006-006	Acid resistant gloves
SY1006-008	Utility brush

**PART# SY1006-001**

**QUICK RESPONSE ACID SPILL KIT**  
**KIT DE RESPUESTA RÁPIDA A DERRAMES DE ÁCIDO**  
**TROUSSE DES DÉVERSEMENTS RÉPONSE RAPIDE**

- Consistent and safe method of handling hazardous spills
- Contains, absorbs and neutralizes acid spills
- A convenient cost-effective method of complying with OSHA regulations 1910.178(c)
- Facilities must have means to neutralize spilled acid
- Fast, easy to use and landfill disposable

**All In A Convenient 5-Gal Resealable Container**

- 2 gallons ACID EATER™ Neutralizer and Absorber
- 2 pairs HazMat boot covers (not shown)
- 8 ACID EATER™ neutralizer and degreaser
- 1 dust pan and whisk broom
- 2 pairs chemical resistant goggles
- 20 feet of barrier tape
- 2 acid resistant aprons
- 2 disposal spill bags with ties
- 2 pairs PVC gloves
- Material safety data sheet



**FAST & EASY TO USE**

**PART# SY2907**

**BATTERY WATERING MONITOR**  
**MONITOR DE LA BATERÍA DE RIEGO**  
**ARROSAGE MONITEUR DE BATTERIE**

- Helps prevent battery over watering and dry-out, which prolongs battery life and reduces the costs associated with battery failures and downtime
- Drastically diminishes the time required for routine battery maintenance



**Fail-Safe Operation**

- Positive-on indicator lets you know that the Battery Watering Monitor is functioning correctly and the electrolyte level is OK

**PART# SY88108**

**BATTERY HANDLING PPE KIT**  
**KIT EPI PARA MANEJO DE LA BATERÍA**  
**TROUSSE DE MANIPULATION DE LA BATTERIE PPE**

**Kit Includes:**

- Neoprene safety gloves
- Safety goggles
- Face shield
- Apron
- Flashlight
- Hydrometer



**PART# SY2947**

**TANKER**  
**TANQUE**  
**CAMION-CITERNE**

- 10Gal (38l) tanker
- Top mounted capacity gauge
- 9' input hose
- 10' output hose
- 8" ball bearing wheels
- Dimensions: 57lbs (25.65kg)  
 17"W x 41"H (432mm x 1041mm)



**Watering Guns on**  
**NEXT PAGE!**

**PART# SY2903**

**WATERING CART**  
**CARRERILLA DE RIEGO**  
**PANIER D'ARROSAGE**

- Easy to use: instructions right on the unit
- Easy to maneuver: handles like a hand truck
- Easy to fill: large opening
- Dependable water source
- 10Gal (139l) polypropylene tank
- Sealed cell battery is included
- 9' hose
- On/off switch located on the rear of the unit
- Charge the unit from any 120 VAC outlet with the provided charger



**Portable**



# BATTERY - ACCESSORIES ACCESORIOS DE BATERÍA ACCESSOIRES DE BATTERIE

## WATERING GUNS PISTOLA DE RIEGO CANONS D'ARROSAGE

- 1.7 gallons per minute flow rate
- Gentle spray
- 45° bend nozzle, Integrated flow indicator
- Converts the rapid flow to a gentle spray



PART# SY88353



- Specialty gun developed for watering transparent jar type stationary batteries only
- Gun operates outside cell
- Manual shut-off

PART# SY2930

## PART# SY2904

### DEIONIZER DESIONIZADOR DÉIONISATEUR

- Makes up to 600GALS (2,280L) of purified water
- Purity light monitors the conductivity of the output water continuously and signals when it is time to change the cartridge
- Pressurized system operates at full line pressure
- System comes with a mounting plate, one cartridge, purity light, hose hanger, quick connects, input and output hoses
- Easy cartridge replacement (#SY2905)
- Reliable construction



## PART# SY73048

### FILLWATCH AUTOMATIC BATTERY WATERING SYSTEM FILLWATCH BATERÍA AUTOMÁTICA DEL SISTEMA DE RIEGO FILLWATCH SYSTÈME D'ARROSAGE AUTOMATIQUE DE LA BATTERIE

- Quick and easy one point connection
- Prevent over-filling, and missed cells
- Increase safety
- Adjustable pressure regulator
- Custom water levels
- Polycarbonate construction



**Note:** pressure regulator and refill hose is required to use watering system



**NO Spills!**

PART #	DESCRIPTION
SYFW-1006	12 Volt, 6 Cell
SYFW-1012	24 Volt, 12 Cell
SYFW-1018	36 Volt, 18 Cell
SYFW-1024	48 Volt, 24 Cell

## PART# SY2950

### LIFTING BEAM ELEVADOR DE LUCES PALONNIER

- Maximum capacity 6000LBS (2,7MT)
- Shipping weight 55LBS (24.75kg)
- Safety rubber hook retainers
- Lightweight for one-man operation
- Adjustable 21"- 39" (533.4MM x 990.6MM)
- Hardwood construction
- Natural spark-proof insulation
- Replacement rubber retainer - #SY2950-1



## PART# SY2951

### CHAIN & HOOK CADENA Y ENGANCHE CHAÎNE ET CROCHET

- Safety chain 4' (1.2m)
- Shipping weight 26LBS (11.7kg)



**MAXIMUM CAPACITY 6000LBS.**

## BATTERY DISCONNECTING SWITCHES PULSADOR PARA DESCONECTAR LA BATERÍA SECTIONNEURS DE BATTERIE

### Unique Range

These disconnecting switches have been designed to provide a rapid means of isolating batteries in the event of serious electrical faults. The switches are capable of safely rupturing full load battery currents in the event of such an emergency. They have double breaking main contacts with silver alloy contact tips which are weld resistant, hard wearing, and have excellent conductivity. "Snap Action" operation for both opening and closing is provided by means of a simple overcentre spring device. The switches are also compact in size and are fully serviceable, with replacement contacts being readily available.

### SP125

#### PART #

- SYED125
- SYED125A
- SYED125L



125 rating

### SP250

#### PART #

- SYED250
- SYED250A
- SYED250B
- SYED250L



250 rating

### DP252

#### PART #

- SYED252
- SYED252B
- SYED252BL
- SYED252I



252 rating

### DP402

#### PART #

- SYED402
- SYED402AL



402 rating

## METEORLITE® 2 STROBE 2 LUCES ESTROBOSCOPICAS METEOR LITE STROBE METEORLITE 2

- Screw-off polycarbonate lens
- ABS mounting base
- O-Ring sealed for maximum weatherproofing
- Metal mounting ring



### 2 Strobe

- 1joule
- 60 ± 10 single fpm
- Current drain .25amp max
- Field replaceable xenon flash tube

**METEORLITE®**

#### PART # DESCRIPTION

SY360080-A	12-80VDC	UL	CE
SY361100-A	12-72VDC	UL	CE

## METEORLITE® 5 STROBE 5 LUCES ESTROBOSCOPICAS 5 STROBOSCOPIQUE LED

- Screw-off polycarbonate lens
- ABS mounting base
- O-Ring sealed for maximum weatherproofing
- Epoxy filled base
- Water and vibration resistant



### 5 Strobe

- 2joule
- 75 ± 10 Single Fpm
- Current Drain .5amp Max
- Field Replaceable Xenon Flash Tube

**METEORLITE®**

#### PART # DESCRIPTION

SY361005-A	12-80VDC	UL	CE
------------	----------	----	----



**METEORLITE® 2 LED STROBE**  
**2 LUCES ESTROBOSCOPICAS**  
**2 STROBOSCOPIQUE LED**

- 60 ± 10 quad fpm
- Current drain .1AMP average
- Epoxy filled base
- Amber only
- 12-80vdc




PART #	DESCRIPTION		
SY361100-A-LED	Standard mount		
SY361100M-A-LED	Magnetic mount		

**METEORLITE®**

**METEORLITE® 5 LED STROBE**  
**5 LUCES ESTROBOSCOPICAS**  
**5 STROBOSCOPIQUE LED**

- 60 ± 6 quad fpm
- Current drain .1AMP average
- Epoxy filled base
- Amber only
- 12-80vdc



PART #	DESCRIPTION		
SY361005-A-LED	Standard mount		
SY361005M-A-LED	Magnetic mount		
SY361005P-A-LED	Pipe mount		

**METEORLITE®**



**AUXILIARY LIGHTING**  
**AUXILIAR DE ILUMINACIÓN**  
**ÉCLAIRAGE AUXILIAIRE**

**PAR 36 RUBBER**

- Black EPDM impact resistant housing
- 2 axis mounting bracket and hardware included
- 5" DIA (127MM) housing
- "Snap-in" sealed beam
- Available in 12, 24, 36 and 48v
- Trapezoid beam pattern



PART#	DESCRIPTION
SY300212	Rubber light kit 12vdc
SY300224	Rubber light kit 24vdc
SY300236	Rubber light kit 36vdc
SY300248	Rubber light kit 48vdc

**PAR 36 STEEL**

- Heavy duty black painted steel housing and bezel
- 5" DIA (127MM) housing
- "Not Spherical Pivot" mounting bracket and hardware included
- Available in 12v, 24v, 36v and 48v
- Trapezoid beam pattern



PART #	DESCRIPTION
SY280212	Steel light kit 12vdc
SY280224	Steel light kit 24vdc
SY280236	Steel light kit 36vdc
SY280248	Steel light kit 48vdc

**Illuminator®**

**PART# SY750**

**FORKLIFT LIGHT BAR**  
**MONTACARGAS LIGHT BAR**  
**FEUX DE BARRE DE CHARIOT ÉLEVATEUR**



**2000 SERIES SAFE-T-ALERT®**  
**SERIES DE SEGURIDAD 2000 ALERT**  
**ALERTE DE SÉCURITÉ DE SÉRIE 2000**



- Water proof and water resistant
- For wire leads, add "W" to end of part number
- For ground clip, and "G" to end of part number



**SAFE-T-ALERT®**

PART #	DESCRIPTION		
STA20307	12-80VDC 87dB		
STA20504	12-48VDC 97dB		
STA20602	12-24VDC 102dB		

**PART# STL1000**

**SAFE-T-LOCK®**  
**INTERRUPTOR DE LLAVE ELECTRONICO**  
**SAFE-T-LOCK**

- Waterproof, IP65
- UL, CE and RoHS compliant
- 99 programmable user codes
- Maintenance cycle - 250 "on" hours, unit will beep intermittently until reset
- Last user ID function - supervisor can see who last used the unit
- Warranty: 1 year

**Prevent**  
**Unauthorized Use**



**PART# SY1711**

**DECAL KIT**  
**KIT DE CALCOMANÍA**  
**KIT AUTOCOLLANT**

- For use on all industrial lift trucks
- Meets OSHA requirements
- Individual decals also sold separately



**PART# SY74017**

**FIRST AID KIT**  
**BOTIQUÍN DE PRIMEROS AUXILIOS**  
**TROUSSE DE PREMIERS SOINS**

- Polyester pouch and belt
- Belt adjustable to 44"



**BE**  
**PREPARED!**





## SAFETY - ACCESSORIES ACCESORIOS DE SEGURIDAD ACCESSOIRES DE SÉCURITÉ

### PART# SY71254

#### BACK-UP HANDLE MANIJA DE APOYO POIGNÉE SAUVEGARDE

- Attaches to any lift truck
- Quick and easy installation
- 120dB
- Back-up handle with horn optional



Reduce Neck Strain



PART #	DESCRIPTION
--------	-------------

SY71255	Back-up handle with horn button
---------	---------------------------------

### PART# SY71256

#### SAFE-TILT ANGLE PROTECTOR DEL ÁNGULO DE INCLINACIÓN ANGLE D'INCLINAISON SÛRE

Easily mounts to any tilt mast truck displaying the exact position of the forks. Lowering product damage and increasing safety!



### PART# SY9912-E

#### FAN KIT - ECONOMY 12V KIT ECONOMICO PARA VENTILADORES 12V TROUSSE DE VENTILATEUR ÉCONOMIE 12V

6" fan blade with multi-positioning swivel, rotary on/off switch and variable speed control on base. Complete with two 6" coils of attachment wire and instructions.



PART #	DESCRIPTION
--------	-------------

SY9924-E	FAN KIT, 24V
SY9936-E	FAN KIT, 36V
SY9048-E	FAN KIT, 48V

### PART# SY250RFC-MB

#### FIRE EXTINGUISHER EXTINGUIDOR DE FUEGO EXTINCTEUR D'INCENDIE

- Ammonium phosphate
- Metal bracket and nozzle
- A, B and C
- UL rating 1a-10b:c
- Capacity 2½ LBS (1.125KG)
- Rechargeable
- 14½"H x 6"W x 3"BIA. (368MM x 152MM x 76MM)
- Must ship ground



### PART# SYFORKSHIELD

#### WINDSHIELD / CANOPY PROTECTOR FRONTAL/ CUBIERTA PROTECTORA PARE-BRISE/VERRIÈRE

- Fits all fork trucks and most heavy equipment
- Freezepoint flexibility
- UV yellow inhibitor
- 16GA high quality clear vinyl
- Heavy duty webbing
- Marine grade stitching

EASY TO INSTALL



### PART# SYSOLARCAP

#### CANOPY CUBIERTA PROTECTORA VERRIÈRE

- Tinted anti-glare material
- More coverage with the see-through visor
- Keep cool from the overhead sun
- Protection from sun, debris, and rain
- Attaches to all lifts in seconds



### PART# SYSTA-DRY-S

#### PART# SYSTA-DRY-L

#### STA-DRY UNIVERSAL ALL-WEATHER CAB ENCLOSURE CUBIERTA DE CABINA PARA TODO TIPO DE CLIMA LES ENCLOS CABINE TOUS MÉTÉO UNIVERSEL STA DRY

- Fits 2,000-6,000lbs forklifts (larger size available)
- Easy to install
- Fits any brand fork truck
- Keeps driver dry and out of the wind
- All zippered closures
- Zippered doors on each side
- 16GA high quality clear vinyl top and sides
- Heavy duty webbing at all bottom attach points



### PART# SY88109

#### SAFETY SIGN - NO SMOKING LPG CHANGING SEÑAL DE SEGURIDAD (NO FUMAR) CAMBIO DE LPG SIGNE DE SÉCURITÉ NE PAS FUMER CHANGEMENT D'LPG




### PART# SY88110

#### CARBON MONOXIDE DETECTOR CARD DETECTOR DE MONOXIDO DE CARBONO TIPO TARJETA DÉTECTEUR DE MONOXYDE DE CARBONE

Put one of these detector cards in the warehouse. If the color changes, you need to check your lift truck emissions.

- Minimum 18-month product life
- Multi-level detection: normal, caution and danger



### PART# SY88112

#### PPE-4LPG COMPLETE LPG PPE KIT COMPLETO DE PROTECCION PERSONAL PPE-4LPG, LPG PPE PPE-4LPG LPG PPE COMPLÈTE

##### Kit includes:

- Pair of safety gloves
- Safety glasses
- Leak detector
- Easy-to-follow instructions



### PART# SY88176

#### LEAK DETECTION COMPOUND DETECTOR DE FUGA COMPUESTO COMPOSÉ DE DÉTECTION DES FUITES

Use the specific compound to test your propane connections and hoses safely. Only a couple drops for the quick action foam to expose the area of leakage.

Only need a couple drops!





**PART# SY88111**

**CYLINDER RETRACTO - GLOVES**  
**GUANTES RETRACTORES DE CILINDROS**  
**GANTS DE CYLINDRE RETRACTO**

- Retractable and ready-to-use
- Safely change propane cylinders
- Securely attaches to your truck



**ALWAYS available!**

**PART# SY71244**

**PROPANE CYLINDER HANDLING GLOVES**  
**GUANTES DE MANEJO DE CILINDRO DE PROPANO**  
**GANTS PROPANE LA MANUTENTION DES BOUTEILLES**

**For changing your propane tanks safely**



**LIFT TRUCK LOG**

**REGISTRO DE CARETILLAS ELEVADORAS**  
**JOURNAL DE BORD CHARIOT ÉLEVATEUR**

**Kits Includes:**

- Daily check lists (624) inspections
- Repair request forms (24 carbonless)
- Accident report forms (4 carbonless)
- Near-miss incidents form (4 carbonless)
- Routine maintenance (60) entries
- Lock-out tag and pull-strap



**Easily Attaches to Any Truck!**


**Complete OSHA checklist system**



LOG IN / OUT CHECKLIST FORMS



ACCIDENT REPORT FORMS



ROUTINE MAINTENANCE LOGS



REPAIR REQUEST FORMS



NEAR-MISS INCIDENT FORMS



**PART# SY71243**  
(25) LOCK-OUT TAGS

**LOGS ARE AVAILABLE IN:**

PART #	DESCRIPTION
SY71245	Propane Counterbalance
SY71246	Electric Counterbalance
SY71247	Electric Narrow Aisle
SY71248	Electric Pallet Truck

**CHECKLIST CADDY**  
**CARTUCHO PARA LISTAS DE CONTROL**  
**CADDIE POUR LISTE DE CONTRÔLE**

- Includes: pen, pad and checklist inspection book
- 4½" x 7", polyethylene envelope
- Adheres easily with 2-way tape



This basic checklist ensures the operator completes the pre-operational inspection before each shift that is required by law.

**Mount it anywhere on your lift truck**

**LOGS ARE AVAILABLE IN:**

PART #	DESCRIPTION
SY88114	Propane sit-down counterbalance
SY88115	Electric sit-down counterbalance
SY88116	Narrow aisle counterbalance
SY88117	Pallet truck counterbalance
SY88118	Aerial Lift

**PART# SY4045**

**OPERATOR'S MANUAL CASES**  
**CAJONES PARA MANUALES DE INSTRUCCIÓN**  
**BOÎTIERS DE MANUEL DE L'UTILISATEUR**

- Manual case
- Inside 6" x 9" (152MM x 229MM)



**PART# SY4040**

**STORAGE / CUP HOLDER**  
**PORTAVASOS DE ALMACENAMIENTO**  
**STOCKAGE/PORTE-GOBELET**

- Manual case
- Inside 8.5" x 11" (216MM x 279MM)



**PART# SY1195**

**MAG-KLIP™ CLIP BOARD**  
**TABLA CON MEGA-KLIP**  
**CONSEIL DE LA COUPE MAG KLIP**

- 9" x 12" usable / 9" x 15" overall
- The super-strong magnet provides 60 pounds of direct pull force
- Constructed of tough ABS plastic
- Organization and convenience anywhere



**PART# SY1196**

**MAG-KADDY™**  
**MEGA CARTUCHO**  
**MAG-KADDY™**

- The super-strong magnet provides 60 pounds of direct pull force
- Can be positioned virtually anywhere at any angle
- Constructed of tough ABS plastic
- The bottom is perforated preventing dirt build-up
- 3" x 5" x 3"



**PART# SY1197**

- 7" x 9" x 5"
- Can be positioned virtually anywhere at any angle
- Constructed of tough ABS plastic
- The bottom is perforated preventing dirt build-up
- The super-strong magnet provides 80 pounds of direct pull force





**SAFETY - ACCESSORIES**  
**ACCESORIOS DE SEGURIDAD**  
**ACCESSOIRES DE SÉCURITÉ**

SAFETY GLASSES  
 LENTES DE SEGURIDAD  
 LUNETTES DE SÉCURITÉ



PART# SYS422XC



PART# SYS3970D



PART# SYS3523



PART# SYA806



PART# SYA705



PART# SY88027



PART# SYS3503



PART# SYS0113



PART# SYA901CSA



PART# SY88019



PART# SY88014



PART# SY88008

PART#	FRAME	LENS MATERIAL	LENS COATING	ANSI Z87
SYS422XXC	Metallic Black	Amber	Uvextra Anti-fog	Yes
SYS422XC	Metallic Black	Amber	Anti-scratch	Yes
SYS4221XXC	Metallic Black	SCT-Blue	Uvextra Anti-fog	Yes
SYS4221XC	Metallic Black	SCT-Blue	Anti-scratch	Yes
SYS4201XXC	Metallic Black	Gray	Uvextra Anti-fog	Yes
SYS4201XC	Metallic Black	Gray	Uvextra Anti-fog	Yes
SYS4200XXC	Metallic Black	Clear	Uvextra Anti-fog	Yes
SYS4200XC	Metallic Black	Clear	Anti-scratch	Yes
SYS3972D	Navy Body, Neoprene Headband	Clear	Dura-streme Dual (Anti-fog / Anti-scratch)	Yes
SYS3971D	Navy Body, Neoprene Headband	Gray	Dura-streme Dual (Anti-fog / Anti-scratch)	Yes
SYS3970D	Navy Body, Neoprene Headband	Amber	Dura-streme Dual (Anti-fog / Anti-scratch)	Yes
SYS3532X	Black & Yellow	Dark Gray	Uvextreme Anti-fog	Yes
SYS3523	Black & Yellow	Gold Mirror	Ultra-dura Anti-scratch	Yes
SYS3522	Black & Yellow	Amber	Ultra-dura Anti-scratch	Yes
SYS3520X	Black & Yellow	Clear	Uvextreme Anti-fog	Yes
SYS3520D	Black & Yellow	Clear	Dura-streme	Yes
SYS3520	Black & Yellow	Clear	Ultra-dura Anti-scratch	Yes
SYS3512X	Silver & Navy	Dark Gray	Uvextreme Anti-fog	Yes
SYS3503	Silver & Navy	Gold Mirror	Ultra-dura Anti-scratch	Yes
SYS3502	Silver & Navy	Amber	Ultra-dura Anti-scratch	Yes
SYS3500X	Silver & Navy	Clear	Uvextreme Anti-fog	Yes
SYS3500	Silver & Navy	Clear	Ultra-dura Anti-scratch	Yes
SYS0113	Gray	Gray	Ultra-dura Anti-scratch	Yes
SYA904CSA	Black Frame	Silver Mirror	Anti-scratch	Yes
SYA903CSA	Black Frame	TSR Gray	Fog-Ban Anti-fog	Yes
SYA902CSA	Black Frame	TSR Gray	Anti-scratch	Yes
SYA901CSA	Black Frame	Clear	Fog-Ban Anti-fog	Yes
SYA900CSA	Black Frame	Clear	Anti-scratch	Yes

PART#	FRAME	LENS MATERIAL	LENS COATING	ANSI Z87
SYA806	Gray	TSR Gray	Fog-Ban Anti-fog	Yes
SYA805	Clear	Clear	Fog-Ban Anti-fog	Yes
SYA804	Gray	I/O Silver Mirror	Anti-scratch	Yes
SYA802	Amber	Amber	Anti-scratch	Yes
SYA801	Gray	TSR Gray	Anti-scratch	Yes
SYA800	Clear	Clear	Anti-scratch	Yes
SYA705	Clear	Clear	Fog-Ban Anti-fog	Yes
SYA704	Gray	I/O Silver	Anti-scratch	Yes
SYA703	Gray	Blue Mirror	Anti-scratch	Yes
SYA702	Amber	Amber	Anti-scratch	Yes
SYA701	Gray	TSR Gray	Anti-scratch	Yes
SYA700	Clear	Clear	Anti-scratch	Yes
SY88027	Silver	Gray	H2 scratch-resistant	Yes
SY88026	Silver	Clear	H2 scratch-resistant	Yes
SY88025	Camo	Clear	H2 scratch-resistant	Yes
SY88024	Camo	Gray	H2 scratch-resistant	Yes
SY88023	Camo	Brown	H2 scratch-resistant	Yes
SY88022	Black	Gray	H2 scratch-resistant	Yes
SY88021	Black	Gray	H2 scratch-resistant	Yes
SY88020	Brown	Brown	H2 scratch-resistant	Yes
SY88019	Yellow	Yellow	H2 scratch resistant	Yes
SY88017	Cobalt Blue	Gray	H2 scratch resistant, safety infrared	Yes
SY88016	Silver Tortise	Gray	H2 scratch resistant, safety infrared	Yes
SY88015	Black	Gray	H2 scratch resistant, safety infrared	Yes
SY88010	Dark Brown	Brown	H2 scratch resistant, safety infrared	Yes
SY88014	Cobalt Blue	Gray	H2 scratch resistant, safety polarized	Yes
SY88013	Silver Tortise	Gray	H2 scratch resistant, safety polarized	Yes
SY88012	Black	Gray	H2 scratch resistant, safety polarized	Yes
SY88011	Dark Brown	Brown	H2 scratch resistant, safety polarized	Yes
SY88009	Clear	Clear Mirror	H2 scratch resistant	Yes
SY88008	Clear	Clear	H2 scratch resistant	Yes
SY88007	Brown	Brown	H2 scratch resistant	Yes
SY88006	Black	Smoked Mirror	H2 scratch resistant	Yes
SY88005	Black	Smoked	H2 scratch resistant	Yes



**PART# SY6493**

**FALL PROTECTION KIT**

**KIT DE PROTECCIÓN CONTRA CAIDAS**

**TROUSSE DE PROTECTION CONTRE LES CHUTES**

- Universal-sized, full-body harness with mating buckle leg straps
- Attached 6' (1.8m) pack-type shock-absorbing lanyard
- Water-resistant storage bag with rail attachment loops



**PART# SY88141**

**HARD HAT**  
**CASCO DE SEGURIDAD**  
**CASQUE**



PART #	DESCRIPTION
SY88142	Yellow
SY88143	Orange
SY88144	Red
SY88145	Light Blue

**PART# SY71284**

**BIO MED EYEWASH**  
**CINE CON LAVAOJOS**  
**CINÉMA AVEC Oculaire**

- (2) twin 7 oz. cans
- Mirror
- 100% bio-logic heavy mist



**PART# SY88171**

**EMERGENCY SHOWER WITH FACE WASH**  
**DUCHA DE EMERGENCIA CON LAVAR LA CARA**  
**URGENCE DE DOUCHE AVEC FACE WASH**

- 3.5 GPM flow on eyewash and 8.0 GPM flow on shower
- 30 GPM shower FW with ABS head/eye



**FULL BODY**

**PART# SY88107**

**GRAVITY FEED EYE WASH**  
**FUENTE DE LAVADO DE OJOS**  
**DOUCHE OCULAIRE ALIMENTATION PAR GRAVITÉ**

- Double panel with mirror and (2) 32oz. full squeeze bottles
- 1.5 min. flow / 0.4GPM output
- Pull-out tray



**Mounts on any wall**

**PART# SY88172**

**EMERGENCY EYE WASH STATION**  
**ESTACIÓN DE EMERGENCIA PARA LAVADO DE OJOS**  
**STATION DE LAVAGE OCULAIRE D'URGENCE**

- Connects directly to the water line (1/2" NPT) to uninterrupted water flow.
- (2) ABS plastic heads and 1.5" bowl
- Push plate actuator opens water valve.



**FULL DOME MIRROR**  
**ESPEJO COMPLETO EN FORMA CÚPULA**  
**RÉTROVISEUR DÔME COMPLET**

**360° view**



PART #	DESCRIPTION
SY88119	18"
SY88120	24"
SY88121	33"
SY88122	48"

**HALF DOME MIRROR**  
**MEDIO ESPEJO RETROVISOR PANORÁMICO**  
**RÉTROVISEUR DEMI-DÔME**

**90° view**

PART #	DESCRIPTION
SY88123	18"
SY88124	24"
SY88125	33"
SY88126	48"



**QUARTER DOME MIRROR**  
**UN CUARTO DE ESPEJO RETROVISOR PANORÁMICO**  
**RÉTROVISEUR DÔME TRIMESTRE**

**180° view**



PART #	DESCRIPTION
SY88127	18"
SY88128	24"
SY88129	33"
SY88130	48"

**MIRROR**  
**ESPEJO**  
**RÉTROVISEUR**

- Includes universal bracket, telescoping arm
- Easy, no drilling installation
- Fits round or square tubing
- Shatterproof Acrylic

PART #	DESCRIPTION
SYLT48	4" x 8" Rectangular
SYLT69	6" x 9" Rectangular



**ROUNDTANGULAR MIRROR**  
**ESPEJO REDONDO-RECTANGULAR**  
**RÉTROVISEUR RONDANGULAIRE**

PART #	DESCRIPTION
SY88147	12" X 18"
SY88148	18" X 26"
SY88149	20" X 30"
SY88150	24" X 36"



**INTERIOR MIRROR**  
**ESPEJO PARA INTERIOR**  
**RÉTROVISEUR INTÉRIEUR**



PART #	DESCRIPTION
SY88131	12"
SY88132	18"
SY88133	26"
SY88134	30"
SY88135	36"



# TRAINING PACKAGES PROGRAMAS DE CAPACITACIÓN PROGRAMMES DE FORMATION

## EXTERIOR MIRROR ESPEJO PARA EXTERIOR MIROIR EXTÉRIEUR



PART #	DESCRIPTION
SY88136	12"
SY88137	18"
SY88138	26"
SY88139	30"
SY88140	36"



## ANTI-BLIND SPOT DOME MIRROR ESPEJO RETROVISOR PARA PUNTO CIEJO MIROIR RÉTROVISEUR DÔME ANTI-AVEUGLES

PART #	DESCRIPTION
SY88174	Double Sided Tape Mount
SY88175	Magnetic Arm Mount

## 6" ACRYLIC MAG MIRROR ESPEJO ACRILICO CON IMÁN RÉTROVISEUR MAG ACRYLIQUE 6

PART #	DESCRIPTION
SY1192	6" Flat Acrylic Mirror
SY1193	6" Convex Acrylic



## MAGNET KITS KIT DE IMANES TROUSSES AIMANT

- Ideal for preventive maintenance of yard vehicles and shop equipment
- Highest strength magnetic construction encased in heavy grade 2" x 5" rectangular tubing, sealed at both ends

ALL weather rugged design!



PART #	DESCRIPTION	DIMENSIONS	WEIGHT
SYUL8933-FP	Magnet Kit 24"	2'h x 5'w x 24'l	28lbs
SYUL8934-FP	Magnet Kit 36"	2'h x 5'w x 36'l	32lbs
SYUL8935-FP	Magnet Kit 48"	2'h x 5'w x 48'l	35lbs
SYUL8936-FP	Magnet Kit 60"	2'h x 5'w x 60'l	40lbs
SYUL8937-FP	Magnet Kit 72"	2'h x 5'w x 72'l	45lbs

## MULTI-SURFACE MAGNET MULTI-SUPERFICIE DEL IMÁN AIMANT MULTI-SURFACE

- 7" wheels
- Removeable handle makes for easy storage

PART #	DESCRIPTION
SY88151	24"
SY88152	30"
SY88153	36"
SY88154	48"



# TRAINING PACKAGES PAQUETES DE ENTRENAMIENTO PROGRAMMES DE FORMATION

Available in SPANISH!

## COUNTERBALANCE LIFT TRUCK CONTRAPESO DE MONTACARGAS CHARIOT ÉLÉVATEUR CONTRE BALANCE

This program covers internal combustion and electric counterbalance lift trucks

- Each Package Includes:**
- 1 (45 min.) Forklift Training Video
  - 1 Operator Manual
  - 1 Instructor Guide
  - 10 Wall Certificates
  - 10 Wallet Cards
  - 1 (17" x 22") Poster



PART #	DESCRIPTION
SY88155	VHS - English
SY88156	VHS - Spanish
SY88157	VHS - English / Spanish Combo
SY88158	DVD - English
SY88159	DVD - Spanish
SY88160	DVD - English / Spanish Combo

## NARROW AISLE LIFT TRUCK MONTACARGAS PARA PASILLOS ESTRECHOS CHARIOT ÉLÉVATEUR ALLÉE ÉTROITE

Both reach trucks and order pickers are featured in this instructional program

- Each Package Includes:**
- 1 (30 min.) Training Video
  - 1 Operator Manual
  - 1 Instructor Guide
  - 10 Wall Certificates
  - 10 Wallet Cards
  - 1 (17" x 22") Poster

PART #	DESCRIPTION
SY88161	VHS - English
SY88162	VHS - Spanish
SY88163	DVD - English
SY88164	DVD - Spanish



Available in SPANISH!

## PALLET TRUCK (LOW LIFT) MONTACARGAS PARA PASILLOS ESTRECHOS TRANSPALETTE (À BASSE PRESSION)

Electric pallet trucks are explained in detail, and how to properly use this type of equipment in everyday applications

- Each Package Includes:**
- 1 (15 min.) Training Video
  - 1 Operator Manual
  - 1 Instructor Guide
  - 10 Wall Certificates
  - 10 Wallet Cards
  - 1 (17" x 22") Poster



## PART# SY88165

### THE ULTIMATE TRAINING PACKAGE / DVD EL PAQUETE FUNDAMENTAL DE ENTRENAMIENTO PARA MONTACARGAS

Give your instructors the necessary tools for effective lift truck operator training with the Ultimate Training Package.

- Everything here is included:**
- 2 S.A.F.E. Lift DVD includes:
    - Counterbalance training
    - Narrow aisle training
    - Pallet truck training
    - "What's Wrong With This?" refresher training

- 1 High Impact Forklift safety DVD
- 10 Operator manuals of your choice
- 10 operator exam of your choice
- 10 Wall/wallet certificates of your choice
- 11 Training overheads
- 1 Lift truck training reference manual
- 1 Model lift truck of your choice
- 1 Wire forklift for training demonstration





**MATERIAL HANDLING - SEATS/PALLETS**  
**MANEJO DE MATERIALES - ASIENTOS / PALETAS**  
**MANUTENTION - SIÈGES / PALETTES**

**PART# SY1845**

**SEAT**  
**ASIENTO**  
**SIÈGE**

- One-piece metal pan
- Welded gusset corners
- High density foam
- Sewn with nylon thread
- Black powder coating
- Adjusters included
- Lateral mounting adjustments (4" to 10 1/2" built-in)



**Adjusters included**

**PART# SY1862**

**SEAT**  
**ASIENTO**  
**SIÈGE**

- Heavy gauge steel structure
- Heavy duty vinyl
- High density foam
- Sewn with nylon thread
- Both backrest and seat bottom hinged, allowing back to fold down and complete seat assembly to tilt forward
- Lateral mounting adjustable (5" to 15 1/2")



**PART# SY1960**

**SEAT**  
**ASIENTO**  
**SIÈGE**



**PART# SY1841**

**SEAT BELT - RETRACTABLE**  
**CINTURÓN DE SEGURIDAD RETRACTABLE**  
**CEINTURE DE SÉCURITÉ - RÉTRACTABLE**

- 60" overall length



**PART# SY1941**

- 56 1/2" overall length



**PART#s**

- TS5500 (Steer Wheels: Poly, Load Wheels: Single Poly)
- TS5510 (Steer Wheels: Poly, Load Wheels: Poly-Tandem)
- TS5520 (Steer Wheels: Nylon, Load Wheels: Single Nylon)

**PALLET TRUCK**  
**PLATAFORMA CAMIONE**  
**TRANSPALETTE**

- Load capacity: 5,500lb.
- 27" X 48"



**Spring-a-matic handles self return!**



**PART# SYCDL-2000**

**CHAIN DRUM LIFTER**  
**CADENA TAMBOR ELEVADOR**  
**CHAÎNE DRUM LIFTER**

- 2,000lb capacity
- Use with 30Gal and 55Gal drums
- Use with plastic, fiber or steel closed head drums with lip
- Grade 80 chain for OSHA & ANSI compliance



**PART# SYDCR-205-15**

**FORK TRUCK DRUM CARRIER/ROTATOR**  
**TRANSPORTADOR Y ROTANTE CARGA DE BARRILES**  
**CHARIOT ÉLEVATEUR À BARIL/ROTATEUR**

- 1500lb capacity
- 55Gal steel drums only



**PART # DESCRIPTION**

SYDCR-205-8 800lb capacity

**PART# SYHJ-5500**

**PALLET TRUCK**  
**PLATAFORMA CAMIONE**  
**TRANSPALETTE**

- Load capacity: 5,500lbs
- 27" X 48"
- Polywheels



**3 position ERGONOMIC handle design!**



**PART# SYDRUM-P**

**FORK TRUCK DRUM POSITIONER**  
**HORQUILLA POSICIONADORA DE BARRILES**  
**CHARIOT ÉLEVATEUR À FOURCHE POSITIONNEUR DE TAMBOUR**

- 800lb capacity
- 55GAL steel, plastic and fiber drums



**PART# SYDCL-1000**

**DRUM CLUTCHER**  
**SUJETADOR DE BARRILES**  
**CLUTCHER DE TAMBOUR**

- Vertically lift drum with overhead lifting device
- 1,000 lb. capacity
- For 55 Gal steel drums
- Use with closed head drums with lip
- Welded steel construction
- Powder coat finish



**PART # USE WITH**

SYDCL-550 Closed head 30 Gal steel drums with lip



# MATERIAL HANDLING - DRUM/CYLINDER EQUIPMENT MANEJO DE MATERIALES - BATERÍA / CILINDROS DEL EQUIPO MANUTENTION - TAMBOUR / ÉQUIPEMENTS CYLINDRE

## PART# SYHORIZ-70

**FORK TRUCK HORIZONTAL DRUM CRADLE**  
**HORQUILLA SUJETADORA EN FORMA HORIZONTAL**  
**BERCEAU À TAMBOUR HORIZONTAL CHARIOT ÉLÉVATEUR À FOURCHE**

- 650LB capacity
- 55GAL steel drums only




## PART# SYDCR-110-55

**PORTABLE MANUAL DRUM LIFTER/  
 OPTIONAL FIBER DRUM ADAPTORS**  
**ELEVADOR MANUAL DE BARRILES/ADAPTADOR  
 DE FIBRA PARA BARRIL OPCIONAL**  
**ADAPTORS PORTABLE MANUEL À TAMBOUR DE  
 LEVAGE ET FIBRE OPTIQUE EN OPTION TAMBOUR ADAPTATEURS**

- Designed to manually lift, rotate and move 55GAL steel drums
- 800LB capacity
- (2) rigid and (1) swivel casters
- Optional invert for use with 30GAL steel drums

model FDC-30



ROTATES  
360°



model DCR-110-55

## PART# SYDCR-880M

**ECONOMICAL MECHANICAL DRUM TRANSPORTER**  
**ECONÓMICA MECÁNICA TAMBOR TRANSPORTADOR**  
**TRANSPORTADOR MECÁNICO DE BARRILES ECONOMICO**

- Lifts 27"- 47" drums with mechanical hand ratchet
- Overall size 38" w x 32" l x 64" h, 880LB capacity
- Legs pivot out for access to drums on pallets
- Jaw service height range is 27"- 47"



## PART# SYDGD-55

**FORK TRUCK DRUM GRIPPER**  
**ELEVADOR AUTOMÁTICO DE BARRILES TIPO  
 PICO DE AGUILA**

- Double drum
- 1500LB capacity
- 30 and 55GAL steel drums only



PART #	DESCRIPTION
SYDGS-55	800LB capacity, Single drum

## PART# SYFMDL-1

**AUTOMATIC EAGLE BEAK DRUM LIFTER**  
**ELEVADOR AUTOMÁTICO DE BARRILES  
 TIPO PICO DE AGUILA**

- 1000LB capacity
- Handles (1) steel, fiber or plastic drum
- Overall size 27" w x 47" l x 29" h

SYFMDL-1



SYFMDL-2



## PART # DESCRIPTION

SYFMDL-2	2000LB Drum lifter handles (2) drums
----------	--------------------------------------

## PART# SYFPDL-8-L

**FORK MOUNTED POLY DRUM HANDLERS**  
**BASCULANTES POLIETILENO DE CARGA**  
**TOMBREAUX DE TAMBOUR PORTABLE HYDRAULIQUES**

- Bottom grip design, 800LB capacity
- Accommodates 55GAL plastic drums
- Overall size 26" w x 56" l x 23" h



## PART# SYFPDL-11-H

**FORK MOUNTED POLY DRUM HANDLERS**  
**BASCULANTES POLIETILENO DE CARGA**  
**TOMBREAUX DE TAMBOUR PORTABLE HYDRAULIQUES**

- Top grip design, 1100LB capacity
- Accommodates 30 and 55GAL drums (closed head)
- Overall size 26" w x 49" l x 23" h



## PART# SYDFDL-3

**LOW PROFILE DRUM CADDIES**  
**WITH BUNG NUT WRENCH HANDLE**  
**CARRETILLA DE BARRILES DE BAJO PERFIL**  
**CON UNA LLAVE DE TAPONES**  
**PROFIL BAS TAMBOUR CADDIES AVEC BOUCHON**  
**CLÉ POUR ÉCROU DE LA POIGNÉE**

- Accommodates: 30 or 55GAL drums, LP tanks and 5GAL pails
- 1000LB capacity
- Mold-on-rubber wheels



POWDER  
COATED  
TOUGH

## PART # DESCRIPTION

SYLO-DC-CI	1200LB Capacity with steel wheels
SYLO-DC-PU	1200LB Capacity with poly-on-steel wheels

## PART# SYDRUM-HD

**SPECIALTY DRUM DOLLY**  
**CARRETILLA CON RUEDAS PARA BARRILES**  
**CHARIOT DE TAMBOUR SPÉCIALITÉ**

- Phenolic casters
- (4) swivel 4" x 2" with brakes
- 2,000LB capacity
- Use with 55GAL steel drums
- Steel construction
- Painted finish

PART# SYDRUM-HD



PART# SYOCTO-55



## PART# WHEEL TYPE WHEEL SIZE

SYOCTO-55	Cast Iron (swivel)	(8) 4" x 1 1/2"
-----------	--------------------	-----------------

## PART# SYTILT-DOL-55-C

**MULTI-PURPOSE OVERHEAD DRUM LIFTER/WRENCH**  
**ELEVADOR DE BARRILES CON MULTI USOS (POR ENCIMA)**  
**FIN GÉNÉRAUX TAMBOUR MULTI LEVAGE/CLÉ**

- 800LB capacity
- Accommodates 30 and 55GAL, plastic, steel and fiber drums with top lip
- Removable arms function as a bung nut wrench and removable drum ring wrench
- For use with closed-head drums only

800pd.  
Capacity



## PART# WHEEL TYPE WHEEL SIZE

SYTILT-DOL-55-H	Hard rubber (4 swivel)	900LBS
-----------------	------------------------	--------

## PART# SYDRUM-RACK-3

**STACKABLE DRUM RACKS**  
**BASTIDORES APILADOS PARA BARRILES**  
**EMPILABLE TAMBOUR PORTE**

These steel racks feature four-way fork truck access. Not recommended for stacking more than four racks high. Racks may be moved when loaded and NOT stacked. Steel construction with 1/2" formed steel cradles. Bolt together assembly with hardware included. Works well with the Hydraulic Drum Stacker and the Drum Positioner. Painted finish.



PART #	DRUM CAPACITY	OVERALL SIZE (WxDxH)	CAPACITY (LBS)	NET WEIGHT (LBS)
SYDRUM-RACK-2	(2) 55GAL Steel	45" x 30" x 12-3/4"	1,600	60
SYDRUM-RACK-3	(3) 55GAL Steel	71" x 30" x 12-3/4"	2,400	95

# MATERIAL HANDLING - DRUM/CYLINDER EQUIPMENT MANEJO DE MATERIALES - BATERÍA / CILINDROS DEL EQUIPO MANUTENTION - TAMBOUR / ÉQUIPEMENTS CYLINDRE



## PART# SYPDR-2

**POLYETHYLENE DRUM RACK**  
**BASTIDORES DE POLIETILENO PARA BARRILES**  
**TABLETTE DE BIDON POLYETHYLENE**

Polyethylene Drum Rack capture spills, keeping your workplace clean and safe. All models tilt the drums slightly forward, allowing maximum drainage-optimizing your use of chemicals while minimizing waste. The PDR's improve worker safety by keeping slippery chemicals and oils off the floor. Drum spill pallet comes standard with two and four drum rack systems.



PART #	DESCRIPTION	DIMENSIONS (WxDxH)	LOAD CAPACITY (LBS.)	CONTAINMENT CAPACITY	NET WEIGHT (LBS)
SYPDR-2	2 Drum System	53" x 53" x 44¾"	1,500	66GAL	137
SYPDR-4	4 Drum System	53" x 53" x 77¾"	3,000	66GAL	189

## PART# SYDGS-55-D

**DRUM GRIPPERS**  
**PIEZAS DE AGARRE PARA CARGA DE BARRILES**  
**PINCE À BIDON**



The Drum Gripper makes it easy to pick up one or two steel drums without leaving the seat of the fork truck. Simply slip the forks into the fork tubes and the Drum Gripper is ready to go. The knuckle gripping system is lowered around the drum, gripped tightly, and then lifted into the air. Drum is automatically released by lowering the forks. All models feature hinged folding design for storage. Models DGS-A and DGD-A feature adjustable-width arms for use with both 30-gallon and 55-gallon steel drums. Welded steel construction. Powder coat finish.

PART #	DRUM STYLE	CAPACITY (LBS)	FORK POCKET CENTERS	FORK POCKET SIZE (W X H)	OVERALL SIZE	NET WT. (LBS)
SYDGS-55-D	(1) 55GAL steel	1,500	13.5"	6¼" x 2"	28¾" x 24" x 8"	109
SYDGD-55-D	(2) 55GAL steel	2,000	24"	7¼" x 2-1/4"	46" x 24¾" x 9½"	185

**DRUM JACKS**  
**TRANSPALETAS PARA CARGA DE BARRILES**  
**LEVIER STABILISATEUR À BIDON**

- These Drum Jacks are the perfect solution to any of your drum transporting needs.
- Compact design allows for maximum maneuverability in restrictive areas.

All Steel Construction

## PART# SYDRUM-55-36

- Accepts both 30 and 55 gallon plastic, steel and fiber drums with a top lip. The front rigid wheels are 6" x 2", while the rear swivel casters are 3" x 1½".



## PART# SYDRUM-55S

- Has a unique grapple to hold 55GAL drums securely into the steel saddle prior to lifting it vertically. The drum is held in this position during transit, enabling open drums to be handled without spillage.



## PART# SYDRUM-55FP

- Has an adjustable beak design which allows it to grab 30 & 55 gallon steel, plastic or fiber drums. Drums can easily be placed or removed from pallets, spill containers and scales. Available with built-in scale feature, see below.



PART #	OVERALL SIZE	LIFT HEIGHT	BEAK SERVICE RANGE	CAPACITY (LBS)	NET WEIGHT (LBS)
SYDRUM-55-36	34¾" x 29"	18"	33" to 52"	500	168
SYDRUM-55FP	43½" x 39"	20"	-	1,000	373
SYDRUM-55S	29" x 41"	4"	-	1,000	180

**BARREL/DRUM TRUCKS**  
**EQUIPAMIENTO PARA CARGA DE BARRILES**  
**CAMIONS DE BARILS/BIDONS**

The Barrel/Drum Truck handles 30 and 55-gallon steel and fiber drums that are 24" to 48" high. Adjustable chime hook helps to secure the drum. Wheels measure 12" x 2" and are available in rubber-on-steel or polyurethane-on-steel. Capacity is 800 pounds.



**DRUM TRUCK WITH SPRING ASSIST**  
**EQUIPAMIENTO PARA CARGA DE BARRILES CON RESORTES**  
**CAMION DE BIDON AVEC ASSISTANCE DE RESSORTS**

Hand truck designed for moving 55GAL steel, plastic, and fiber drums weighing up to 1,000 lbs. Special design features spring mechanism for easy use. Spring allows for easier tilting of fully-loaded drums. Removable hook bar includes built-in bung nut wrenches. Steel construction with powder coat yellow finish. 10" x 2½" wheels standard.



## BARREL/DRUM TRUCKS

PART #	OVERALL SIZE (W x L)	WHEEL TYPE	NET WEIGHT (LBS.)
SYDBT-1200	24½" x 60"	Rubber-on-Steel	58
SYDBT-1200-P	24½" x 60"	Poly-on-Steel	61
SYDBT-RED	24¼" x 60¾"	Polyurethane	60

## DRUM TRUCK WITH SPRING ASSIST

PART #	DRUM TYPES	OVERALL (W x L x H)	WHEEL TYPE	NET WEIGHT (LBS.)
SYDBT-SA-MR	Steel	23½" x 14½" x 61"	Mold-On-Rubber	58
SYDBT-SA-PO	Steel	23½" x 14½" x 61"	Poly-On-Steel	61

## PART# SYRDC-60-5-HR

**ECONOMY ROTATING DRUM CARTS**  
**GONDOLAS ROTANTES PARA CARGA DE BARRILES**  
**CHARIOTS ECONOMIE ROTATIF À BIDON**

Includes two rigid and two swivel casters. Handle is NOT included -- must be purchased separately. Handle includes built-in drum tipper and bung nut wrenches as a bonus. Handle includes built-in drum tipper to assist with liquid drainage. Rugged steel construction with painted finish. Assembly required.

EASY TO OPERATE



PART #	CAPACITY (LBS)	WHEEL SIZE	WHEEL TYPE	NET WEIGHT (LBS)
SYRDC-60-NC	800	--	None	27
SYRDC-60-5-HR	800	5"	Hard Rubber	32
SYRDC-60-5-PO	800	5"	Polyolefin	32
SYRDC-60-5-SS	800	5"	Steel	34

**TILTING DRUM RINGS**  
**ANILLOS DE ROTACIÓN PARA BARRILES**  
**ANNEAUX D'INCLINAISON À BIDON**

Transport up to 1,200 pounds with your fork truck and the Tilting Drum Ring. Pivoting fork pockets allow you to manually rotate drum to dispense light materials. To use, slip the band over the drum and tighten the lock to secure around the belly of the drum. Steel construction. Powder coat finish.



PART #	ACCEPTABLE DRUM TYPES	FORK OPENING (WxH)	CAPACITY (LBS)	NET WEIGHT
SYTDR-30	30GAL Steel	5¼" x 3"	800	16
SYTDR-55	55GAL Steel	5¼" x 3"	800	24



# MATERIAL HANDLING - DRUM/CYLINDER EQUIPMENT

## MANEJO DE MATERIALES - BATERÍA / CILINDROS DEL EQUIPO

### MANUTENTION - TAMBOUR / ÉQUIPEMENTS CYLINDRE

#### DRUM HEADERS CABECERAS DE BARRIL EN-TÊTES À BIDON

Convert your closed head steel drums into storage containers with our Drum Deheaders. The SYDD-9 can be adjusted to open steel drums with different thicknesses. The blade is angled for maximum penetration and flattens the cut edge so there are no sharp or jagged edges. Replacement blades available, model SYDDB-1.

Quickly remove the head of a steel drum in less than 30 seconds with our new Express-Open Drum Deheader! Unique design, model SYD-HEAD-1, is similar to a household can-opener and is very easy to use. Comfortable handle configuration allows for maximum operator comfort. Includes vice-grip style mechanism for securely attaching unit to drum. A standard 1/2" ratchet drive (manual or pneumatic) must be used to operate the deheader (ratchet drive not included). Inside cutting blade does not leave a sharp edge on the drum. Replacement blades available separately, model SYD-HEAD-B. Both styles open 30 & 55 gallon steel drums and 5 gallon pails.



PART# SYDD-9



PART# SYD-HEAD-B  
(replacement blade for SYD-HEAD-1)



PART# SYD-HEAD-1

#### DRUM VENTS REJILLAS DE VENTILACIÓN DE BARRIL ÉVENTS À BIDON

SYVENT-H and SYVENT-V are two styles available for use with drums in horizontal or vertical positions. Use with standard 2" drum plug openings. Each vent includes a flash arrestor for safety.



PART #	DESCRIPTION	DISPLACEMENT	NET WEIGHT (LBS)
SYVENT-H	Horizontal Drum Vent	Fits 2" Openings	1
SYVENT-V	Vertical Drum Vent	Fits 2" Openings	2

#### STEEL DRUM FUNNEL (WITH SELF CLOSING LID) EMBUDO METÁLICO CON TAPA DE CIERRE AUTOMÁTICA ENTONNOIR À BIDON EN ACIER AVEC COUVERCLE À FERMETURE AUTOMATIQUE

- Allows for quickly filling 55GAL drums with 2" plug
- Includes 8¾" long brass flame arrestor safety
- Hinged lid with fusible link automatically closes at 160°
- Lid latch may be locked for security (lock not included)
- Fits 2" NPS threaded drum bung, gasket included for tight seal
- Steel construction with painted finish.



PART #	CONSTRUCTION	DRUM SIZE	FITS DRUM BUNGS	NET WT. (LBS)
SYDF-S	Steel	55GAL	2"	13

#### PART# SYCYHT-350

#### CYLINDER TILT BACK HAND TRUCK CINTURÓN DE SEGURIDAD RETRACTABLE CAMION DE MAIN À VÉRIN D'INCLINAISON DE RETOUR

- Ideal for transporting cylinders from storage to work space
- Chains and contoured back cradle provide utmost safety
- Tilt back design for effortless transportation



#### WALL MOUNTED CYLINDER BRACKETS SOPORTES DE CILINDRO PARA MONTAR EN LA PARED SUPPORT MURAL CYLINDRE



- Simple design is easy to install
- Simply bolt to wall and then secure cylinder with strap
- Choose either steel or molded plastic construction



PART# SYCB-W-3S



PART# SYCB-W-S



PART# SYCB-W-2S



PART# SYCB-W-P



PART# SYCB-W-2P

PART #	ACCOMMODATES CYLINDERS	NET WEIGHT (LBS.)
SYCB-W-S	1	3
SYCB-W-2S	2	7
SYCB-W-3S	3	12
SYCB-W-P	1	2
SYCB-W-2P	2	4

#### PART# SYLP-170

#### FORK TRUCK LP TANK STORAGE MONTACARGAS PARA TANQUES DE LP ENTREPOSAGE POUR RÉSERVOIRS LP POUR CHARIOTS ÉLÉVATEURS

Transport tanks safely!!

- Made of all steel construction
- Holds up to 6 LP tanks that are up to 12"b x 24"h
- Safety chains to hold the tanks in place
- Caster option available SYCYL-CK



#### PART# SYLP-6

#### LP TANK TRUCK MONTACARGAS DE TANQUE LP CAMION DE RÉSERVOIR LP

Pivots 360°

- Built-in crane can be used to safely load full tanks into fork trucks
- Crane pivots 360° for maximum versatility
- Crane boom is raised and lowered with a manual hand pump hydraulic lift
- Tank attachment at the end of the boom automatically clamps to each end of the cylinder
- Built-in racks are ideal for LP tank storage -- stores two tanks in the vertical position and four tanks in the horizontal position
- Each unit includes a push handle with two rigid and two swivel casters for easy portability
- Heavy-duty welded steel construction with a painted finish





# MATERIAL HANDLING - SELF DUMPING HOPPERS

## MATERIAL DE MANEJO - CONTENEDOR DE RESIDUOS DE AUTO VACIADO

### MANUTENTION - AUTO TRÉMIES DUMPING

#### PART# SYH-25-LD

**LOW PROFILE HOPPER**  
**CONTENEDOR DE BAJO PERFIL**  
**HOPPERS TRÉMIES DE PIÈCES PROFIL BAS**




- Manual pull cable to dump from fork truck seat
- Half-length fork tubes
- 0.25 Cubic yard capacity
- 2,000LBS Capacity
- Overall size: 25" w x 46" l x 18 1/2" h
- Fork pocket centers 11 1/2"
- "Leak Proof" design available - Call for details

PART #	VOLUME CAPACITY (cubic yards)	CAPACITY (pounds)	GAUGE OF STEEL	OVERALL SIZE (W x L x H)	FORK POCKET CENTERS
SYH-50-LD	1/2	2,000	12	25" x 51 1/4" x 28"	11 3/4"
SYH-100-LD	1	2,000	12	49" x 51 1/4" x 28"	21 3/4"
SYH-150-LD	1 1/2	2,000	12	49" x 51 1/4" x 41"	21 3/4"
SYH-25-MD	1/4	4,000	10	25" x 46" x 18 1/2"	11 1/2"
SYH-50-MD	1/2	4,000	10	25" x 51 1/4" x 28"	11 3/4"
SYH-100-MD	1	4,000	10	49" x 51 1/4" x 28"	21 3/4"
SYH-150-MD	1 1/2	4,000	10	49" x 51 1/4" x 41"	21 3/4"
SYH-25-HD	1/4	6,000	8	25" x 46" x 18 1/2"	11 1/2"
SYH-50-HD	1/2	6,000	8	25" x 51 1/4" x 28"	11 3/4"
SYH-100-HD	1	6,000	8	49" x 51 1/4" x 28"	21 3/4"
SYH-150-HD	1 1/2	6,000	8	49" x 51 1/4" x 41"	21 3/4"

#### PART# SYPLID-D-33

**HEAVY DUTY POLY LIDS FOR SELF-DUMPING HOPPERS**  
**TAPAS POLY DE MATERIAL PESADO PARA CONTENEDORES DE AUTO VACIADO**  
**PAUPIÈRES EN POLY LOURDES POUR LES TRÉMIES DÉVERSEMENT AUTOMATIQUE**

- For use with 1/3 cubic yard capacity D style hoppers
- Factory or field install without drilling
- Made from recycled heavy-duty black poly material
- Ribbed design for strength and aesthetics
- Features prop and lock (padlock not included)
- Available on H or D style hoppers
- Hopper not included



Style H

PART #	FOR USE WITH HOPPER SIZE	FOR USE WITH HOPPER STYLE
SYPLID-H-25	1/4 Cubic yard	H
SYPLID-H-50	1/2 Cubic yard	H
SYPLID-H-100	1 Cubic yard	H
SYPLID-H-150	1 1/2 Cubic yard	H

PART #	FOR USE WITH HOPPER SIZE	FOR USE WITH HOPPER STYLE
SYPLID-D-50	1/2 Cubic yard	D
SYPLID-D-75	3/4 Cubic yard	D
SYPLID-D-100	1 Cubic yard	D
SYPLID-D-150	1 1/2 Cubic yard	D
SYPLID-D-200	2 Cubic yard	D
SYPLID-D-250	2 1/2 Cubic yard	D
SYPLID-D-300	3 Cubic yard	D



Style D



#### PART# SYHOP-LP

**LOW PROFILE PARTS HOPPER**  
**PARTES DE BAJO PERFIL PARA CONTENEDORES**  
**HOPPERS TRÉMIES DE PIÈCES PROFIL BAS**

**Removable Push Handle**

- Designed to function as a parts hopper that may be dumped with the assistance of a fork truck
- 1/2 cubic yard / Capacity 2000LBS
- Overall size 48 1/2" w x 57" d x 18" h
- 4" x 2" phenolic casters
- Removable push handle
- Welded steel construction



#### PART# SYFL-4000

**FORK MOUNTED FRONT LOADER**  
**CONTENEDOR MONTADO EN HORQUILLA FRONTAL**  
**MONTÉE À L'AVANT CHARGEUR DE FOURCHE**

**90° Dump Angle**

- 4,000LBS capacity
- Dump angle 90°
- 1 1/3 Cubic yard capacity



#### PART# SYP-HOP-0.5

**PORTABLE STEEL HOPPERS**  
**CONTENEDOR PORTÁTIL DE ACERO**  
**TRÉMIES EN ACIER PORTATIFS**

- Make handling waste and bulk material more convenient
- Volume: 1/2 cubic yard
- 8" x 2" fork pockets on 24" centers (12 1/2" fork pocket center on models SYP-HOP-0.5)
- Unit not designed for use as self-dumping hopper
- 8" x 2" phenolic casters
- Overall size 33 1/2" w x 50 1/2" l x 38 1/2" h
- Includes non-removable push handle



**POWDER COATED TOUGH**

PART #	VOLUME (CUBIC YARDS)	CAPACITY (LBS)	OVERALL SIZE (W x D x H)
SYP-HOP-1	1	2,000	48 1/2" X 56 3/4" X 46 1/2"
SYP-HOP-1.5	1 1/2	2,000	56 3/4" X 56 3/4" X 54 1/4"



# MATERIAL HANDLING - ATTACHMENTS MATERIAL DE MANEJO - ATACHEMENS MANUTENTION - PIÈCES JOINTES

## PART# SYHOOK-BASE-32

**FORKTRUCK PINTLE, AND HOOK**  
**ENGANCHE PINTLE PARA MONTACARGAS**  
**CROCHET DE REMORQUAGE ET ROTULE CHARIOT ÉLÉVATEUR**

- 4000<sub>LB</sub> capacity
- Converts a fork truck into a tow truck for moving trailers and other portable equipment
- Simple design slides onto forks and secures into place with safety pins
- Optional pintle, and hook available
- Welded steel construction with powder coat blue finish



\*Pintle and hook sold separately

PART #	FORK LENGTH	LENGTH TO CENTER OF BALL	CAPACITY (LBS)
SYHOOK-BASE-38	42"	38"	4,000
SYHOOK-BASE-44	48"	44"	4,000

PART #	FORK LENGTH	VERTICAL CAPACITY (LBS)	TRAILER CAPACITY (LBS)
SYPINTE	1 3/4"	2,000	10,000

PART #	HOOK STYLE	CAPACITY (LBS)
SYHOOK-4S	Swivel	4,000
SYHOOK-4R	Rigid	4,000

## PART# SYLM-OBT-4-24

**FORK TRUCK BOOM**  
**GRÚA**  
**BARRAGE POUR CHARIOT ÉLÉVATEUR**

- Features fork pockets with safety chain and friction locking screws to attach boom to fork truck
- Each unit includes one rigid and one swivel lifting hook
- Telescopic design offers variable reach between 36" and 144"
- Fork centers are 24", 4,000<sub>LB</sub> capacity
- Robotically welded construction for precision and durability



PART #	CAPACITY
SYLM-OBT-6-24	6,000 <sub>LB</sub>
SYLM-OBT-8-24	8,000 <sub>LB</sub>



## PART# SYLM-HP4

**HOOK PLATE**  
**PLATO DE ENGANCHE**  
**PLAQUE À CROCHET**

- 4000<sub>LB</sub> capacity
- Forks not included
- Includes safety chain for securing unit to fork truck
- Includes swivel lifting hook with safety latch

## PART# SYLM-EBT

**FORK TRUCK BOOM, ECONO**  
**GRÚA ECONOMICA PARA MONTACARGAS**  
**BARRAGE POUR CHARIOT ÉLÉVATEUR, ECONO**

- No riser
- Adjustable length from 72" to 144"
- Includes one rigid hook and one swivel hook
- Includes safety chain for securing unit to fork truck



Telescopic Style

### MAXIMUM SINGLE HOOK BOOM CAPACITIES\*(LBS) HOOK POSITION


MODEL	144"	132"	120"	108"	96"	84"	72"	60"	48"	36"
SYLM-EBT	1750	2000	2250	2500	2750	3000	3250	3500	3750	4000
SYLM-EBT-6	1800	2000	2300	2600	3000	3500	4000	4500	5000	6000

\* Attaining maximum capacities depends on the size and fork capacity of the lift truck used.

## PART# SYD-FORK-10

**HOISTING HOOK**  
**ENGANCHE DE ELEVACIÓN**  
**ATTACHEMENTS POUR CHARIOT ÉLÉVATEUR HOISTING HOOK CROCHET**

- Double fork style
- 10,000<sub>LB</sub> cap
- 6 3/4" w x 3 1/2" h fork pocket
- Forks not included
- Includes swivel hook with safety latch
- Includes safety chain and T-locks for securing unit to fork truck



Double Fork Style



Single Fork Style

## PART# SYS-FORK-4

**HOISTING HOOK**  
**ENGANCHE DE ELEVACIÓN**  
**ATTACHEMENTS POUR CHARIOT ÉLÉVATEUR HOISTING HOOK CROCHET**

- Single fork style
- 4000<sub>LB</sub> capacity
- Includes swivel hook with safety latch
- Includes safety chain for securing unit to fork truck

PART #	DESCRIPTION
SYD-FORK-4	6 3/4" w x 2 1/2" h fork pocket

# MATERIAL HANDLING - LOADING DOCK AREA MATERIAL DE MANEJO - AREA DE CARGA MANUTENTION - ZONE DE CHARGEMENT



## PART# SYWP-3636

### WORK PLATFORM PLATAFORMA DE TRABAJO PLATE-FORME DE TRAVAIL

- 36" w x 36" l x 60" h back
- 1000lb capacity
- 84" High backing needed for California OSHA requirements, call for details
- Includes safety chain for securing unit to fork truck
- Double-locking gate
- 4" high toeboard
- Treadplate surface for added safety
- Safety fine lock standard
- 7/8" Fork pockets standard



PART #	DESCRIPTION
SYWP-3648	36" w x 48" l x 60" h back
SYWP-4848	48" w x 48" l x 60" h back
SYWP-CA	Work Platform Caster Kit 4" x 2"

## PART# SYWP-3737-FD

### FOLD DOWN FORK TRUCK WORK PLATFORM PLATAFORMA DE TRABAJO PLEGABLE CAMION DE PLATE-FORME DE TRAVAIL RABATTE LA FOURCHETTE

- 37" w x 37" l
- Industry-best powder coat safety yellow finish
- Two gates for platform access on each side
- Fork truck fine lock - secures work platform to forks of fork truck
- Treadplate for with 1000lb capacity
- 4" High toe-boards with 42" high handrail and 21" high midrail
- 60" High expanded metal back to protect user from moving forlift parts
- Operators safety instruction sign in English, Spanish and French



PART #	DESCRIPTION
SYLM-HP6	6000lb Capacity



## PART# SYRUD-24 **NO drilling required**

### RACK GUARD WITH RUBBER BUMPER ESTANTE PROTECTOR CON GOMA PARACHOQUES GARDE ÉTAGÈRE AVEC PARE-CHOC EN CAOUTCHOUC


- 4" w opening x 24" h, safety yellow
- Includes rubber bumper
- Mounting hardware included; simply bolts to upright



## PART# SYGR-CAP

### GUARD RAIL END CAP PROTECTOR DEL EXTREMO DE LA BARANDILLA GARDE EMBOUT DE RAIL

- Plastic, safety yellow
- Post and cap not included



## PART# SYNPG4-24

### LOW PROFILE RACK GUARD ESTANTE DE PROTECCIÓN DE BAJO PERFIL GARDE ÉTAGÈRE PROFIL BAS

- 4" w opening x 24" h, safety yellow
- Requires only two bolts for quicker installation (not included)
- Other sizes available



PART #	DESCRIPTION
SYNPG-ABK	Low profile rack guard concrete installation kit

## PART# SYBOL-36-4.5

### STEEL SAFETY BOLLARD POSTE DE SEGURIDAD DE ACERO BORNE DE SÉCURITÉ EN ACIER

- 36" h x 4.5" dia, safety yellow
- Remove rubber top cap



PART #	DESCRIPTION
SYBOL-42-4.5	Steel Safety Bollard-- 42" h x 4 1/2" dia
SYBOL-42-5.5	Steel Safety Bollard-- 42" h x 5 1/2" dia
SYBOL-ABK	Steel Safety Bollard Concrete Installation Kit


## PART# SYSTGR-4

### STRUCTURAL GUARD RAIL RIEL ESTRUCTURAL DE PROTECCIÓN GARDE RAIL STRUCTUREL

- Constructed of structural C-channel
- Powder coat safety yellow finish
- Height of rail 6"



PART #	DESCRIPTION
SYSTGR-6	Railing - 6'L
SYSTGR-8	Railing - 8'L
SYSTGR-10	Railing - 10'L
SYSTGR-12	Railing - 12'L
SYSTGR-TP18DI	Tubular posts, 18" single rail
SYSTGR-TP42DI	Tubular posts, 42" double rail
SYSTGR-TP60DI	Tubular posts, 60" triple rail
SYSTGR-TP72DI	Tubular posts, 72" triple rail



## PART# SYSPBOL-42

### STEEL SPRING LOADED BOLLARDS POSTE DE ACERO CON RESORTE BORNES CHARGÉ À RESSORT EN ACIER

- 2 1/2" b
- 42" h
- Powder coat finish



PART #	DESCRIPTION
SYSPBOL-42-BL	Spring bollard with motion activated beeper and strobe
SYSPBOL-ABK	Concrete installation hardware kit



# MATERIAL HANDLING - LOADING DOCK AREA

## MATERIAL DE MANEJO - AREA DE CARGA

### MANUTENTION - ZONE DE CHARGEMENT

#### PIPE RAILING

##### BARANDILLA DE TUBERÍAS

##### RAYONNAGE EN TUYAU

**Protect people from uneven walkways and mezzanine drop offs**

- Durable railing made of schedule 40 pipe (1 5/8" O.D.)
- Handrails - 42" H with a 21" midrail
- Mounting options include: socket sleeves, barricade base, or cast steel sockets for convenient handrail removal
- Cast steel sockets accept wood 2" x 4" or 2" x 6", when toe boards are required
- Steel railing features powder coat safety yellow finish



#### STEEL CONSTRUCTION

PART #	TOP RAIL HEIGHT	MIDRAIL HEIGHT	LENGTH	OUTSIDE DIAMETER	NET WEIGHT (LBS.)
SYVDKR-2	42"	21"	24"	1 5/8"	18
SYVDKR-3	42"	21"	36"	1 5/8"	23
SYVDKR-4	42"	21"	48"	1 5/8"	28
SYVDKR-5	42"	21"	60"	1 5/8"	33
SYVDKR-6	42"	21"	72"	1 5/8"	38
SYVDKR-7	42"	21"	84"	1 5/8"	43
SYVDKR-8	42"	21"	96"	1 5/8"	48



#### ALUMINUM CONSTRUCTION

PART #	TOP RAIL HEIGHT	MIDRAIL-HEIGHT	LENGTH	OUTSIDE DIAMETER	NET WEIGHT (LBS.)
SYADKR-2	42"	21"	24"	1 5/8"	9
SYADKR-3	42"	21"	36"	1 5/8"	10
SYADKR-4	42"	21"	48"	1 5/8"	11
SYADKR-5	42"	21"	60"	1 5/8"	13
SYADKR-6	42"	21"	72"	1 5/8"	15
SYADKR-7	42"	21"	84"	1 5/8"	16
SYADKR-8	42"	21"	96"	1 5/8"	18



#### PIPE SAFETY OPTIONS

PART #	DESCRIPTION	NET WEIGHT (LBS)
SYVDKR-P101	Single socket (four bolt holes)	7
SYVDKR-P102	Double Socket (four bolt holes)	12
SYVDKR-P107	4" Metal Sleeve	2
SYVDKR-BASE	Cast Steel Base	115
SYVDKR-BB-F	Barricade Base with Feet	7
SYVDKR-BB-W	Barricade Base with Wheels	7
SYVDKR-G3	Three Foot Steel Gate	23
SYVDKR-G4	Four Foot Steel Gate	35
SYVDKR-KIT	Anchor Bolts [for concrete (4) 3/8" x 3"]	4
SYVDKR-CON	Connector Kit	7

#### INTERLOCKING PORTABLE RAILING

##### CARRIL ENRELAZADO PORTÁTIL

##### RAIL EMBOÎTANT PORTATIF

- Lightweight one-piece handrail
- Easy to move to meet changing needs
- Upright bars are vertically spaced at 5 1/2" intervals.
- Includes connectors to attach multiple units together to form long runs.
- Overall size is 102"L x 40"H. All welded steel construction available with a galvanized or yellow powder coat finish.
- Suffix-HD denotes heavy duty construction.



PART #	FINISH	RAIL DIAMETER	NET WEIGHT (LBS.)
SYPRAIL-102-G	Galvanized	1 1/4"	36
SYPRAIL-102-HD-G	Galvanized	1 5/8"	56
SYPRAIL-102-Y	Yellow Powder Coat	1 1/4"	36
SYPRAIL-102-HD-Y	Yellow Powder Coat	1 5/8"	56

#### SELF-CLOSING STEEL GATES

##### PUERTAS METÁLICAS DE CIERRE AUTOMÁTICO

##### BARRIÈRES EN ACIER À FERMETURE AUTOMATIQUE

- Gates can be mounted from the left or right with the included mounting hardware.
- Mount to horizontal rails that measure up to 2" diameter and are spaced 10" to 21" apart center to center.
- Choose from galvanized or yellow powder coat finish.
- Meets OSHA 1910.23a requirements.  
(Railing and base not included.)



PART #	MATERIAL	OPENING WIDTH	HEIGHT	NET WEIGHT (LBS)
SYSPG-26-Y	Yellow	16" to 26"	12"	30
SYSPG-26-G	Galvanized	16" to 26"	12"	30
SYSPG-40-Y	Yellow	24" to 40"	12"	35
SYSPG-40-G	Galvanized	24" to 40"	12"	35



# MATERIAL HANDLING - LOADING DOCK AREA MATERIAL DE MANEJO - AREA DE CARGA MANUTENTION - ZONE DE CHARGEMENT

## EXPAND-A-GATE PUERTAS EXPANDIBLES BARRIÈRE EXTENSIVE

- Gates can be mounted from the left or right with the included mounting hardware.
- Mount to horizontal rails that measure up to 2" diameter and are spaced 10" to 21" apart center to center.
- Choose from galvanized or yellow powder coat finish.
- Meets OSHA 1910.23a requirements.  
(Railing and base not included.)



### STEEL CONSTRUCTION

PART #	EXPAND RANGE	CASTERS	HEIGHT	NET WEIGHT (LBS)
SYEXGATE-30	14.5" to 144"	No	37"	36
SYEXGATE-30-C	14.5" to 144"	Yes	43"	54

### ALUMINUM CONSTRUCTION


PART #	EXPAND RANGE	CASTERS	HEIGHT	NET WEIGHT (LBS)
SYALEXGATE-30	14.5" to 144"	No	37"	22
SYALEXGATE-30-C	14.5" to 144"	Yes	43"	30

## STRUCTURAL GUARD RAIL CARRIL DE PROTECCIÓN ESTRUCTURAL RAIL GARDE STRUCTUREL

### Drop-in and Bolt-on style

Create a modular system to protect equipment, inventory, and individuals from damage or injury with this highly visible powder coat yellow Structural Guard Rail. Triple ridge corrugated rails are constructed from 1/8" thick material, made for high impact resistance indoors or out.

- Posts are constructed of round corner 1/4" thick material
- The steel base plate measures 10" square and is 5/8" thick
- Bolts, anchors, washers, and nuts are provided with individual post sections
- Concrete mounting kit is available separately
- Drop-In Style rail section includes two brackets
- Bolt-On Style rails are designed for permanent installation



### DROP-IN STYLE ( 2 BRACKETS INCLUDED PER RAIL)

PART #	HEIGHT	LENGTH	MOUNTING POSTS REQUIRED	NET WEIGHT (LBS)
SYGR-LO-4	14½"	48"	2	54
SYGR-LO-6	14½"	72"	2	74
SYGR-LO-8	14½"	96"	2	94
SYGR-LO-10	14½"	120"	3	114

### BOLT-ON STYLE

PART #	HEIGHT	LENGTH	MOUNTING POSTS REQUIRED	NET WEIGHT (LBS)
SYGR-B-4	14½"	48"	2	44
SYGR-B-6	14½"	72"	2	64
SYGR-B-8	14½"	96"	2	84
SYGR-B-10	14½"	120"	3	104
SYGR-TP18	18"		Tubular Posts	40
SYGR-TP42	42"		Tubular Posts	65
SYGR-ABK-4			Concrete Mounting Kit, (4) Lag Bolts	4


## PART# SYCL-17

### CARGO BAR BARRA DE CARGA BARRE CARGO

- 88"-116" service range
- Steel two-piece (folding) design for storage inside cab
- Length adjusted with manual ratchet
- Rubber end pads



PART #	DESCRIPTION
SYCL-16	Steel one-piece without hoops



## PART# SYCB-7


### CARGO BAR BARRA DE CARGA BARRE CARGO

- 89"-104" service range
- Aluminum one-piece design
- Manual ratchet for length adjustments
- Rubber end pads

## PART# SYCBH-32

### CARGO BAR BARRA DE CARGA BARRE CARGO

- 87"-116" service range
- Steel one-piece design with hoops
- Hoops increase effective cargo holding area
- Rubber end pads



## PART# SYTG-1200-S-H-96-120

### STRIP DOOR PUERTA DE TIRAS PORTE À LAMELLES

- 96" w x 120" h door size
- 12" w clear poly strips, 2/3" overlap
- Header mount
- Optional wall-mount is available
- Special strip styler and sizes are available



PART #	DOOR SIZE	STRIP WIDTH
SYTG-1200-S-H-96-96	96" w x 96" h	12" w
SYTG-800-S-H-36-84	36" w x 84" h	8" w
SYTG-800-S-H-48-84	48" w x 84" h	8" w
SYTG-800-S-H-48-96	48" w x 96" h	8" w
SYTG-800-S-H-60-96	60" w x 96" h	8" w
SYTG-800-S-H-72-96	72" w x 96" h	8" w
SYTG-800-S-H-96-96	96" w x 96" h	8" w




**MATERIAL HANDLING - LOADING DOCK AREA**  
**MATERIAL DE MANEJO - AREA DE CARGA**  
**MANUTENTION - ZONE DE CHARGEMENT**

**PART# SYATWR-18-6-48**

**ALUMINUM TRUCK WHEEL RISER**  
**CARRETELLA ELEVADORA DE ALUMINIO PARA LLANTAS**  
**RAMPA DE ALUMINIO PARA ELEVAR RUEDAS DE MONTACARGAS**

- 18" w x 6" h x 48" L Overall (30" level length)
- 30,000lb Capacity per pair
- Designed to raise trailers at loading docks
- Sold individually



PART #	DESCRIPTION
SYATWR-18-8-54	18" w x 8" h x 54" L overall (36" level length)
SYATWR-24-12-72	24" w x 12" h x 72" L overall (36" level length)
SYATWR-24-6-48	24" w x 6" h x 48" L overall (30" level length)

**PART# SYFM-2072**

**EDGE-OF-DOCK LEVELER**  
**RAMPAS NIVELADORAS**  
**NIVELEUR DU BORD D'UN QUAI**

- Manual operation
- 20,000lb capacity
- 72" w usable
- +/-5" service range
- Includes leveler, rubber bumpers and steel bumper boxes
- Requires steel dock edge for proper installation

20,000lb.  
Capacity!



**PART# SYD-150-10**

**DOCK SEAL**  
**SELLO PARA ANDÉN**  
**JOINT QUAI**

- Max door size 8' w x 8' h, 10" projection

PART #	DESCRIPTION
SYD-150-20	20" projection (for use with SYFM-2072 and SYPE-2072)

**PART# SYDTS-5**

**DOCK TRAFFIC SYSTEM**  
**SISTEMA DE TRAFICO**  
**SYSTÈME DE CIRCULATION QUAI**

- Toggle switch operated
- 25WATTS
- 115VOLTS



**PART# SYRHCB-12**

**MOLDED RUBBER HOSE AND CABLE BRIDGE**  
**PUNTE MOLDEADO DE GOMA PARA CABLES Y MANGUERAS**  
**TUYAUX EN CAOUTCHOUC MOULÉ / PONT EN CÂBLE**

- 12" w x 32" L overall
- 3-1/2" w x 3" h usable channels
- 2400lb capacity
- Includes one pair of connectors for using multiple units together to form one long bridge



**PART# SYMRBR-24**

**MOLDED RUBBER HOSE / CABLE BRIDGE**  
**PUNTE MOLDEADO DE GOMA PARA CABLES Y MANGUERAS**  
**TUYAUX EN CAOUTCHOUC MOULÉ/ PONT EN CÂBLE**

- 24" w x 24" L overall
- 2-3/4" w x 1-1/2" h usable channel
- 2400lb capacity



**PART# SYBZ11931**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**



**PART# SYBZ11933**


**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**



**PART# SYEALUM-7**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Extruded aluminum
- 7" w x 8" h x 10" b



**PART# SYLWC-15**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Laminated rubber
- 8" w x 8" h x 8" b



**PART# SYFAB-11**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Fabricated steel
- 10 3/4" w x 8" h x 9" b



**PART# SYLWC-14**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Laminated rubber
- 10" w x 5 1/2" h x 10" b



**PART# SYMS-15**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Molded steel
- 9" w x 8 1/2" h x 8" b



**PART# SYURWC-15**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Molded urethane
- 8" w x 8" h x 11" b



**PART# SYRWC-8**

**WHEEL CHOCK**  
**TOPE PARA RUEDAS**  
**CALE DE ROUE**

- Molded rubber
- 7 1/2" w x 8" h x 8 1/2" b






# MATERIAL HANDLING - LOADING DOCK AREA MATERIAL DE MANEJO - AREA DE CARGA MANUTENTION - ZONE DE CHARGEMENT

## POLYESTER DOUBLE-PLY LIFTING SLINGS ESLINGA PARA ELEVACIÓN DE POLIÉSTER CON DOBLE CAPA DOUBLE VOLÉE ÉLINGUES DE LEVAGE EN POLYESTER

- Double capacity when used basket-style
- Reduce capacity 20% when used choker-style

PART# SYSL-6-F-10



PART# SYSL-4-F-10



PART# SYSL-2-F-10

PART #	SIZE	STRAIGHT LIFT CAPACITY	ENDS
SYSL-4-F-10	2" w, 10' L	4000 <sub>LB</sub>	Reinforced fabric loop ends
SYSL-6-F-10	3" w, 10' L	6000 <sub>LB</sub>	Reinforced fabric loop ends
SYSL-2-F-10	1" w, 10' L	2000 <sub>LB</sub>	Reinforced fabric loop ends

## PART# SYSTRAP-27-RH

### CARGO STRAPPING CORREA DE CARGA FRET CERCLAGE

- 2" w x 27' L
- 3325<sub>LB</sub> working load
- Rod hook



PART #	DESCRIPTION
SYSTRAP-12-RE	2" w x 12' L ; E-clip type ends; 1000 <sub>LB</sub> Capacity
SYSTRAP-27-FH	2" w x 27' L ; Flat hook; 3325 <sub>LB</sub> Capacity

## PART# SYPAL-12

### PALLET PULLER TIRADOR DE PALETAS EXTRACTEUR DE PALETTES

- Single-scissor style
- 5000<sub>LB</sub> pulling capacity

5,000<sub>lbs.</sub>  
capacity



PART #	DESCRIPTION
SYPPC-20	Extension chain— 20" L x 1/4"

## PART# SYPAL-21

### PALLET PULLER TIRADOR DE PALETAS EXTRACTEUR DE PALETTES

- Double-scissor style
- 5000<sub>LB</sub> pulling capacity



PART #	DESCRIPTION
SYPPC-20	Extension chain— 20" L x 1/4"

## PART# SY8553443

### DOCK LIGHT LUCES PARA ANDÉN LUMIÈRE QUAI



PART #	DESCRIPTION
SY8553443	Dock 230v Euro
SY8553443US	Dock 115v US
SY34250	Dock 277v US

## PART# SYLL-60

### DOCK LIGHT LUCES PARA ANDÉN LUMIÈRE QUAI

- 60" L
- Double strut
- 115v AC power source required

DUAL ARM



PART #	DESCRIPTION
SYAR-38-90	Halogen bulb for dock light—90WATT, 1270 LUMENS
SYLL-40	40" Dock light
SYLL-60	60" Dock light
SYLL-40ARM	40" Double strut arm
SYLL-60ARM	60" Double strut arm
SYLL-BRKT	Mounting bracket, set of 2

## PART# SYSJ-35

### TRAILER STABILIZING JACK GATO ESTABILIZADOR DE CAMIONES REMORQUE STABILISER JACK

- 50,000<sub>LB</sub> static capacity
- Use for OSHA compliance
- 44" - 51" Service range



Spin Top  
Economy  
Style

## PART# SYSJ-35-EF

### ECONO TRAILER STAB JACK

## PART# SYLO-J

### TRAILER STABILIZING JACK GATO ESTABILIZADOR DE CAMIONES REMORQUE STABILISER JACK

- Ratchet-style
- 40,000<sub>LB</sub> lifting capacity, 100,000<sub>LB</sub> static capacity
- Use for OSHA compliance
- 39" - 51" Service range



## PART# SYSP-TOP

### TRAILER STABILIZING JACK GATO ESTABILIZADOR DE CAMIONES REMORQUE STABILISER JACK

- Spin top style
- 40,000<sub>LB</sub> lifting capacity, 100,000<sub>LB</sub> static capacity
- Use for OSHA compliance
- 39 1/2"-51" Service range



## PART# SYSP-TOP-R

### TRAILER STABILIZING JACK GATO ESTABILIZADOR DE CAMIONES REMORQUE STABILISER JACK

- Ratchet style
- 40,000<sub>LB</sub> lifting capacity, 100,000<sub>LB</sub> static capacity
- Use for OSHA compliance
- 41" - 50" Service range



## PART# SYPLB-6

### PRY LEVER BAR PALANCA NIVELADORA PIED DE BICHE

- 6' L wooden handle
- Two 5" x 2" poly-on-steel wheels
- Steel nose plate
- 4,250<sub>LB</sub> Capacity



PART #	DESCRIPTION
SYPLB-7	7' L wooden handle



**MATERIAL HANDLING - LOADING DOCK AREA**  
**MATERIAL DE MANEJO - AREA DE CARGA**  
**MANUTENTION - ZONE DE CHARGEMENT**

**PART# SYB-1224-3**

**DOCK BUMPER, MOLDED RUBBER**  
**AMORTIGUADOR DE GOMA PARA ANDÉS**  
**PARE-CHOC DE QUAI, CAOUTCHOUC MOULÉ**

- 12" h x 24" l x 3" b overall



**PART# SYDBE-10**

**DOCK BUMPER, MOLDED RUBBER**  
**AMORTIGUADOR DE GOMA PARA ANDÉS**  
**PARE-CHOC DE QUAI, CAOUTCHOUC MOULÉ**

- 4" w x 10" l x 3" b overall

**PART# SYB-1213-4**

**DOCK BUMPER, MOLDED RUBBER**  
**AMORTIGUADOR DE GOMA PARA ANDÉS**  
**PARE-CHOC DE QUAI, CAOUTCHOUC MOULÉ**

- 12" h x 13" l x 4" b overall



**PART# SYBS-36**

**DOCK BUMPER, EXTRUDED RUBBER**  
**AMORTIGUADOR EXTRUDIDO DE GOMA**  
**PARE-CHOC DE QUAI, CAOUTCHOUC EXTRUDÉ**

- 5½" w x 36" l x 1½" b overall

**PART# SYL-1818-4**

**DOCK BUMPER, MOLDED RUBBER**  
**AMORTIGUADOR DE GOMA PARA ANDÉS**  
**PARE-CHOC DE QUAI, CAOUTCHOUC MOULÉ**

- 18" w x 18" l x 4" b overall
- L-style



PART #	DESCRIPTION
SYDBE-20	4½" w x 20" l x 3" b overall
SYDBE-30	4½" w x 30" l x 3" b overall

**PART# SYM-2-24**

**DOCK BUMPER, EXTRUDED RUBBER**  
**AMORTIGUADOR EXTRUDIDO DE GOMA**  
**PARE-CHOC DE QUAI, CAOUTCHOUC EXTRUDÉ**

- 2" w x 24" l x 2" b overall




PART #	DESCRIPTION
SYM-2-36	2" w x 36" l x 2" b overall

**PART# SY1012-4.5**

**DOCK BUMPER, LAMINATED RUBBER**  
**AMORTIGUADOR LAMINADO CON GOMA**  
**PARE-CHOC DE QUAI, CAOUTCHOUC LAMINÉ**

- 10" h x 12" l x 4½" b



**PART# SYM-4-36**

**DOCK BUMPER, EXTRUDED RUBBER**  
**AMORTIGUADOR EXTRUDIDO DE GOMA**  
**PARE-CHOC DE QUAI, CAOUTCHOUC EXTRUDÉ**

- 4" w x 36" l x 4" b overall




**PART# SYTS-10-6048**

**STEEL DOCKBOARD WITH WELDED STEEL CURBS**  
**RAMPA DE ACERO CON CURBAS DE ACERO SOLDADAS**  
**BORD DU QUAI EN ACIER AVEC DES BORDURES EN ACIER SOUDÉ**

- 60" w x 48" l
- Includes locking legs for OSHA compliance
- For use with fork trucks and pallet trucks

PART #	SIZE	CAPACITY
SYTS-10-6060	60" w x 60" l	10,000LB
SYTS-10-7248	72" w x 48" l	10,000LB
SYTS-15-6060	60" w x 60" l	15,000LB
SYTS-15-7248	72" w x 48" l	15,000LB
SYTS-20-7260	72" w x 60" l	20,000LB




**Diamond Tread for EXTRA Traction**

**PART# SYBTA-05006036**

**ALUMINUM DOCKBOARD WITH WELDED ALUMINUM CURBS**  
**RAMPA DE ALUMINIO CON CURBAS DE ALUMINIO SOLDADAS**  
**BORD DU QUAI EN ALUMINIUM AVEC BORDURES EN ALUMINIUM SOUDÉ**

- 60" w x 36" l
- Each model includes locking legs for compliance with OSHA
- For use with fork trucks and pallet trucks

PART #	SIZE	CAPACITY
SYBTA-05006048	60" w x 48" l	5000LB
SYBTA-11006048	60" w x 48" l	11,000LB
SYBTA-15006048	60" w x 48" l	15,000LB
SYBTA-15006060	60" w x 60" l	15,000LB
SYBTA-15007260	72" w x 60" l	15,000LB




**Diamond Tread for EXTRA Traction**

**PART# SYTAS-10-6048**

**ALUMINUM DOCKBOARD WITH BOLT-ON STEEL CURBS**  
**RAMPA DE ALUMINIO CON CURBAS DE ACERO ATORNILLADAS**  
**BORD DU QUAI ALUMINIUM BOULONNÉS SUR LES BORDURES EN ACIER**

- 60" w x 48" l
- Each model includes locking legs for compliance with OSHA
- For use with fork trucks and pallet trucks

PART #	SIZE	CAPACITY
SYTAS-10-6060	60" w x 60" l	10,000LB
SYTAS-15-6036	60" w x 36" l	15,000LB
SYTAS-15-6048	60" w x 48" l	15,000LB
SYTAS-20-6036	60" w x 36" l	20,000LB




**Diamond Tread for EXTRA Traction**

**PART# SYE-3636**

**ALUMINUM DOCKPLATE**  
**RAMPA DE ALUMINIO**  
**PLAQUE D'ACCÈS EN ALUMINIUM**

- 36" w x 36" l
- 3/8" THICK
- Not for use with fork trucks

PART #	SIZE	THICKNESS	CAPACITY
SYE-3648	36" w x 48" l	3/8" THICK	1900LB
SYE-4836	48" w x 36" l	3/8" THICK	3500LB
SYE-4848	48" w x 48" l	3/8" THICK	2600LB
SYE-6036	60" w x 36" l	3/8" THICK	4100LB
SYEH-4836	48" w x 36" l	1/2" THICK	5300LB
SYEH-6030	60" w x 30" l	1/2" THICK	7800LB
SYEH-7236	72" w x 36" l	1/2" THICK	7800LB






**MATERIAL HANDLING - CARTS/HAND TRUCKS/LADDERS**  
**MATERIAL DE MANEJO - CARRETILLAS/ CARROS MANUALES / ESCALERAS**  
**MANUTENTION - CHARIOTS / CHARIOTS À MAIN / ÉCHELLES**

**PART# SYA-3024**

**ALUMINUM HAND TRUCK DOCKPLATES**  
**RAMPA DE ALUMINIO MANUAL**  
**QUAI DE PLAQUES À MAIN EN ALUMINIUM**



- Lightweight design is ideal for foot or hand truck traffic only
- High-strength aluminum treadplate material is durable yet lightweight
- Zinc-plated locking legs and lifting handles for OSHA compliance
- Beveled entrance and exit edges for smoother transition
- All models ship UPS
- Overall size is 30" w x 24" L
- Plate thickness 1/4" / Height Differential 3"
- Capacity 500LBS



PART #	OVERALL SIZE (W x L)	HEIGHT DIFFERENTIAL	PLATE THICKNESS	CAPACITY (pounds)
SYA-3030	30" x 30"	4"	1/4"	500
SYA-3036	30" x 36"	5"	1/4"	500
SYA-3048	30" x 48"	7"	1/4"	500
SYA-3624	36" x 24"	3"	1/4"	500
SYA-3630	36" x 30"	4"	1/4"	500
SYA-3636	36" x 36"	5"	1/4"	500
SYA-3648	36" x 48"	7"	1/4"	500
SYAH-3024	30" x 24"	3"	5/16"	700
SYAH-3030	30" x 30"	4"	5/16"	700
SYAH-3036	30" x 36"	5"	5/16"	700
SYAH-3048	30" x 48"	7"	5/16"	700
SYAH-3624	36" x 24"	3"	5/16"	700
SYAH-3630	36" x 30"	4"	5/16"	700
SYAH-3636	36" x 36"	5"	5/16"	700
SYAH-3648	36" x 48"	7"	5/16"	700

**PART# SYR-16-7230**

**STEEL YARD RAMPS**  
**RAMPA DE ACERO PARA TERRENOS NIVELADOS**  
**RAMPES DE TRIAGE D'ACIER**

- Load and unload trailers from ground level when no freight dock exists
- Manual two-speed hand crank for easy one person height adjustment
- 9" diameter steel dual wheels
- Service range 45" to 62"
- Surface is heavy-duty open steel grating for positive traction
- Steel construction with welding to meet AWS
- Overlap style lip is 15" long
- 4" high safety curbs
- Units ship flat bed truck
- Painted neutral earth-tone brown color
- Capacity 16,000LBS
- Overall width 72" / usable width 66"
- Length 30' (no level-off)



Model SYR-HL



Model SYR-FS

PART #	CAPACITY (LBS)	OVERALL WIDTH	USABLE WIDTH	72"(6') L LEVEL LENGTH	OFF INCLUDED
SYR-16-7236	16,000	72"	66"	36'	YES
SYR-16-8430	16,000	84"	78"	30'	NO
SYR-16-8436	16,000	84"	78"	36'	YES
SYR-20-8536	20,000	85"	78"	36'	YES

PART #	DESCRIPTION
SYR-HL	Pneumatic Tire And Hand Pump Hydraulic Lift Option
SYR-HL-DC	Pneumatic Tire And Dc Powered Hydraulic Lift Option
SYR-FS	Forklift Pick-up Slots Option
SYR-TB	Tow Bar Loop Option

**PART# SYAY-167236-L**

**ALUMINUM YARD RAMP WITH STEEL GRATING**  
**RAMPA DE ACERO CON REJILLAS DE ACERO**  
**RAMPE DE LA COUR D'ALUMINIUM TREILLIS D'ACIER**

- Load and unload trailers from ground level when no freight dock exists
- 8" x 3" poly-on-steel wheels with manual hand pump lift
- Service range 37" to 63"
- Surface is heavy-duty open steel grating for positive traction
- Overlap style lip is 15" long
- 4" high safety curbs
- Units ship flat bed truck
- Capacity 16,000LBS
- Overall width 70" / usable width 61"
- Length 36' (6' level-off)



PART #	CAPACITY (LBS)	OVERALL WIDTH	USABLE WIDTH	72" (6') L LEVEL LENGTH	OFF INCLUDED
SYAY-168436-L	16,000	84"	75"	36'	YES
SYAY-208436-L	20,000	84"	75"	36'	YES

**PART# SYCART-400**

**HYDRAULIC ELEVATING CART**  
**CARRETILLA ELEVADORA HIDRÁULICA**  
**PANIER DE LEVAGE HYDRAULIQUE**

- 400LBS capacity
- Platform size 17½" w x 27½" L
- Service range 8¾" to 29"
- Single-speed foot pump



**PART# SYCART-800-D**

**HYDRAULIC ELEVATING CART**  
**CARRETILLA ELEVADORA HIDRÁULICA**  
**PANIER DE LEVAGE HYDRAULIQUE**

- 800LBS capacity
- Platform size 20" w x 35½" L
- Service range 15½" to 51"
- Two-speed foot pump





# MATERIAL HANDLING - CARTS/HAND TRUCKS/LADDERS MATERIAL DE MANEJO - CARRETILLAS/ CARROS MANUALES / ESCALERAS MANUTENTION - CHARIOTS /CHARIOTS À MAIN / ÉCHELLES

## PART# SYCART-750

**HYDRAULIC ELEVATING CART  
CARRETILLA ELEVADORA HIDRÁULICA  
PANIER DE LEVAGE HYDRAULIQUE**

- 750lb capacity
- Platform size: 19¼" w x 32½" L
- Service range 15½" to 35½"
- Two-speed foot pump

**750lb.  
Capacity**



## PART# SYCART-1000-LD

**HYDRAULIC ELEVATING CART  
CARRETILLA ELEVADORA HIDRÁULICA  
PANIER DE LEVAGE HYDRAULIQUE**

- 1000lb capacity
- Platform size 32" w x 63" L
- Service range 15" to 39"
- Two-speed foot pump

**1,000lb.  
Capacity**



## PART# SYEHLT-2448-4-23

**ELECTRIC HYDRAULIC SCISSOR LIFT TABLES  
MESA ELEVADORA HIDRÁULICA TIPO TIJERA  
TABLES ÉLÉVATRICES À CISEAUX ÉLECTRIQUES HYDRAULIQUES**

- 4000lb capacity
- Platform size: 24" w x 48" L
- Service range 7" to 43"
- 460v/3 Phase (other power options are available)
- Hand control

**4,000lb.  
Capacity**



PART #	DESCRIPTION
SYEHLT-3060-4-43	Scissor lift table, 30" w x 60" L
SYEHLT-4048-4-43	Scissor lift table, 40" w x 48" L
SYEHLT-4848-4-43	Scissor lift table, 48" w x 48" L
SYEHLT-4872-4-43	Scissor lift table, 48" w x 72" L

## PART# SYEASY-A-1836

**EASY-ACCESS STOCK TRUCK  
CARRETILLA CON CONTENEDOR PARA REPUESTOS/HERRAMIENTAS  
CHARIOTS/CHARIOTS À MAIN/ÉCHELLES D'ACCÈS FACILE CAMION DE STOCK**

- Two shelf design with three support legs
- Fold down design simplifies assembly
- Capacity per shelf 600lbs/ Overall capacity 1,200
- Two rigid and two swivel poly casters (with brake)
- Mount swivel casters in front for lighter applications
- Mount swivel casters to rear for heavier applications
- Chrome plated handles
- Shelf size 18" x 36"



Flip up writing table for storage

PART #	DESCRIPTION	SHELF SIZE (W X L)
SYEASY-A-2436	Easy-access stock truck	24" x 36"
SYEASY-A-2448	Easy-access stock truck	24" x 48"
SYEASY-A-WT	Writing table	--
SYEASY-A-BSK	Wire storage basket	--



## PART# SYVHPT-2448

**HARDWOOD PLATFORM TRUCK  
CARRETILLA CON PLATAFORMA DE MADERA DURA  
CAMION PLATE-FORME DE BOIS FRANC**

- Deck size 24" w x 48" L
- 1600lb capacity
- Platform height 9"
- 6" x 2" Mold-on-rubber
- Removable push handle



**Removable  
Push Handle**

PART #	DESCRIPTION
SYVHPT-2754	Hardwood platform truck, 27" w x 54" L
SYVHPT-3060	Hardwood platform truck, 30" w x 60" L
SYVHPT-3672	Hardwood platform truck, 36" w x 72" L

## PART# SYDH-PH4-2436

**HEAVY-DUTY ERGO-HANDLE CART  
CARRETILLA CON MANEJILLA PARA MATERIAL PESADO  
PANIER ERGO POIGNÉE ROBUSTE**

- Welded steel construction
- Removable chrome-plated handle
- 8" x 2" casters with roller bearings
- Two rigid and two swivel casters
- Platform size 24" x 36"
- Two-shelf design
- Phenolic casters
- Capacity 4,000 lbs.
- Shelf clearance 22"



Two Shelf Unit



Three Shelf Unit



## PART# SYHTT-150

**HAND CART WITH FOLDABLE HANDLE  
MANO CARRO CON ASA PLEGABLE  
CHARIOT À MAIN AVEC POIGNÉE RABATABL**

- Overall size 29 1/8" L x 19" w x 32" H
- 330lb capacity



## PART# SYHTT-300

- Overall size 34 1/4" L x 35" w x 24 1/2" H
- 660 pound capacity



PART#	DESCRIPTION	SHELF CLEARANCE	CASTER TYPE	CAPACITY (POUNDS)
SYDH-PH4-2448	Two shelf cart	22"	Phenolic	4,000
SYDH-PH4-2460	Two shelf cart	22"	Phenolic	4,000
SYDH-PH4-2472	Two shelf cart	22"	Phenolic	4,000
SYDH-PH4-3448	Two shelf cart	22"	Phenolic	4,000
SYDH-PH4-3460	Two shelf cart	22"	Phenolic	4,000
SYDH-PH4-3472	Two shelf cart	22"	Phenolic	4,000
SYDH-PH4-2436-3	Three shelf cart	9 3/4"	Phenolic	4,000
SYDH-PH4-2448-3	Three shelf cart	9 3/4"	Phenolic	4,000



**MATERIAL HANDLING - CARTS/HAND TRUCKS/LADDERS**  
**MATERIAL DE MANEJO - CARRETILLAS/ CARROS MANUALES / ESCALERAS**  
**MANUTENTION - CHARIOTS /CHARIOTS À MAIN / ÉCHELLES**

**PART# SYDHHT-500S-HR**

**STEEL DUAL HANDLE**  
**CARRO MANUAL CON DOBLE MANIJA**  
**POIGNÉE EN ACIER À DOUBLE**

- 500lb capacity
- 10" x 2½" Hard rubber wheels
- Nose plate 13¾" x 6½"
- Overall size 21" w x 17½" b x 44½" h



PART #	DESCRIPTION
SYDHHT-500S	10" x 3½", Pneumatic wheels



**PART# SYSPHT-600S-IND**

**STEEL "P" HANDLE**  
**CARRO MANUAL CON MANEJILLA EN FORMA P**  
**POIGNÉE STYLE P EN ACIER**

- 600lb capacity
- 13" x 4" Pneumatic wheels
- Nose plate 13¾" x 7½"
- Overall size 22" w x 19" b x 52" h

PART #	DESCRIPTION
SYSPHT-500S	10" x 3½", Pneumatic wheels, 13¾" w x 7½" b nose plate

**PART# SYDHHT-500A-HR**

**ALUMINUM DUAL HANDLE**  
**CARRO MANUAL DE ALUMINIO**  
**POIGNÉE DOUBLE EN ALUMINIUM**

- 300lb capacity
- 10" x 2½" Hard rubber wheels
- Nose plate 14" x 8½"
- Overall size 20" w x 20" b x 49" h



**STRONG**  
**but lightweight**

PART #	DESCRIPTION
SYDHHT-500A	10" x 3½", Pneumatic wheels

**PART# SYAPHT-500A-HR**

**ALUMINUM "P" HANDLE**  
**CARRO MANUAL DE ALUMINIO CON MANEJILLA EN FORMA P**  
**POIGNÉE STYLE P EN ALUMINIUM**

- 300lb capacity
- 10" x 2½" Hard rubber wheels
- Nose plate 14" x 7½"
- Overall size 20" w x 19" b x 50½" h



PART #	DESCRIPTION
SYAPHT-500A	10" x 3½", Pneumatic wheels

**PART# SYDSHT-500-PN**

**CONVERTIBLE HAND TRUCK**  
**CARRO MANUAL CONVERTIBLE**  
**CHARIOTS À MAIN CONVERTIBLE**

- Steel construction
- 500lb capacity (hand truck)
- 10" x 3½" Pneumatic wheels
- Overall size  
 22" w x 19" b x 49" h (hand truck)  
 49" w x 22" b x 36" h (platform truck)



**PART# SYDDT-500**

**DUAL DIRECTIONAL STEEL HAND TRUCK**  
**CARRO MANUAL CON MANEJILLA DE DOBLE DIRECCIÓN**  
**CAMION À MAIN EN ACIER DOUBLE DIRECTION**

- 600lb capacity
- 8" x 2" Rubber wheels
- Nose plate 14" x 8"
- Overall size 20" w x 18" b x 51" h




**PART# SYL-220-HD**

**ECONOMY PORTABLE HIGH-RISER SKID LIFTERS**  
**ELEVADOR DE PLATAFORMAS PORTÁTIL ECONOMICO**  
**RAMPE DE NIVELLEMENT ÉCONOMIE PORTABLE**

- Designed for use with skids and pallets without an understructure
- Front rollers and two swivel casters in rear to allow easy portability
- Capacity 3,000lb
- Service range 3.50" to 31½"
- Fork size is 20" x 43"
- Hand Pump Operation
- Constructed of steel

**STEEL**  
**CONSTRUCTION**



SKID PALLETT

Applies to All Products on this Page

PART #	DESCRIPTION	OPERATION	FORK SIZE
SYL-270-HD	Painted steel	Hand pump operation	27" x 43"
SYL-220-DC-HD	Painted steel	12V DC Power	20" x 43"
SYL-270-DC-HD	Painted steel	12V DC Power	27" x 43"
SYL-270-HD-SS	Stainless Steel	Hand pump operation	27" x 45"
SYL-270-DC-HD-SS	Stainless Steel	12V DC Power	27" x 45"



# MATERIAL HANDLING - CARTS/HAND TRUCKS/LADDERS MATERIAL DE MANEJO - CARRETILLAS/ CARROS MANUALES / ESCALERAS MANUTENTION - CHARIOTS / CHARIOTS À MAIN / ÉCHELLES

## PART# SYLAD-12-10-G

**STEEL ROLLING WAREHOUSE LADDER**  
**ESCALERA DE ACERO CON RUEDAS PARA BODEGAS**  
**POIGNÉE STYLE P EN ALUMINIUM**

- Exclusive lockable access gate
- Grip strut steps
- 58° climb angle
- 10" Front wheels
- 4" Toeboard on top step, step size 24" w x 7" d



**350lbs. capacity**



PART #	# OF STEPS	TOP STEP HEIGHT	BASE SIZE	TOP STEP DEPTH
SYLAD-6-10-G	6	60"	35" w x 44½" b	10"
SYLAD-7-10-G	7	70"	35" w x 50¾" b	10"
SYLAD-8-10-G	8	80"	35" w x 57" b	10"
SYLAD-9-10-G	9	90"	35" w x 63¼" b	10"
SYLAD-10-10-G	10	100"	35" w x 69½" b	10"
SYLAD-11-10-G	11	110"	35" w x 76" b	10"
SYLAD-12-10-G	12	120"	41" w x 82" b	10"
SYLAD-6-20-G	6	60"	35" w x 54½" b	20"
SYLAD-7-20-G	7	70"	35" w x 60¾" b	20"
SYLAD-8-20-G	8	80"	35" w x 67" b	20"
SYLAD-9-20-G	9	90"	35" w x 73¼" b	20"
SYLAD-10-20-G	10	100"	35" w x 79½" b	20"
SYLAD-11-20-G	11	110"	35" w x 86" b	20"
SYLAD-12-20-G	12	120"	41" w x 92" b	20"

**COMMERCIAL SPRING LOADED LADDERS**  
**ESCALERA DE CARGA CON RESORTE COMERCIAL**  
**ÉCHELLES À RESSORT COMMERCIALE**

- All directional spring loaded swivel casters
- Colors available yellow/blue/white

PART #	# OF STEPS	TOP STEP HEIGHT
SYLAD-1-*	1	10"
SYLAD-2-*	2	19¼"
SYLAD-3-*	3	28½"
SYLAD-4-*	4	38"
SYLAD-5-*	5	47¾"

\*Add suffix for color choice: (Y) Yellow, (B) Blue and (W) White



**300lbs. capacity**

## PART# SY73056

**TRAFFIC SIGN**  
**SEÑALES DE TRAFICO**  
**PANNEAU DE SIGNALISATION**

- For safer traffic inside warehouse
- Made from foam



**CLASS 2 & 3 LOAD BACKRESTS**  
**CABEZALES DE PROTECCIÓN CLASE 2 & 3**  
**DOSSIERS DE CHARGE CLASSE 2 & 3**

PART #	DESCRIPTION	CLASS
CA684773	37" x 48"	2
CA684776	41" x 48"	2



**CLASS 2 & 3 CARPET RAMS**  
**BRAZOS CLASE 2 & 3**  
**RAM DE TAPIS DE MATÉRIEAUX DE MANUTENTION**  
**CLASSE 2 ET 3**



## PART# SY73047

**FORK TIP PROTECTOR**  
**PROTECTOR PARA PUNTA DE HORQUILLA**  
**PROTECTEUR DE POINTE DE FOURCHE**

- Eliminates the spearing effect of forks, without reducing their effectiveness
- Protects: products, staff, pallets, racking, fixtures
- Easy to install
- Increases lifespan of pallets
- Cost effective warehouse protection
- Decreases insurance claims

**REDUCE PRODUCT DAMAGE!**



**FORK WEAR PAD**  
**ALMOHADILLA PARA HORQUILLA**  
**USURE DES PLAQUETTES DE FOURCHE**

- 5mm wear thickness (+ 1mm adhesive) and 100mm length stick firmly onto the bottom of the heel

**Easy to install!**



PART #	DIMENSIONS (WxL)
SY73048	3" x 4" (75mm x 100mm)
SY73049	4" x 4" (100mm X 100mm)
SY73050	5" x 4" (125mm x 100mm)
SY73051	7" x 4" (175mm x 100mm)

PART #	CLASS	A	B	C	D	WEIGHT
SYCFS-9	2	16"/407mm	12"/305mm	9"/2m	2¾"/70mm	382LBS/173.6kg
SYCFS-10	2	16"/407mm	12"/305mm	10"/3m	2¾"/70mm	406LBS/184.5kg
SYCFS-12	2	16"/407mm	12"/305mm	12"/4m	2¾"/70mm	349LBS/158.3kg
SYCFS-9/3	3	20"/508mm	14"/356mm	9"/3m	2¾"/70mm	397LBS/180.4kg
SYCFS-10/3	3	20"/508mm	14"/356mm	10"/3m	2¾"/70mm	421LBS/191.4kg
SYCFS-12/3	3	20"/508mm	14"/356mm	12"/4m	2¾"/70mm	478LBS/217.3kg



**FORK EXTENSIONS**  
**PROLONGADOR DE HORQUILLAS**  
**EXTENSIONS DE FOURCHE**

Each extension includes a non-removable loop designed to prevent the extension from sliding off the end of the fork.

- All-steel construction for years of reliable use
- Powder coat safety yellow finish for durability
- Each extension includes warning and operating stickers
- Sold in pairs
- Kit includes: 1 can of cleaner/remover, 1 can of penetrant, 1 can of developer and instructions
- Ship ground only



**FITS 4" WIDE FORKS**

SYEXT4X48	48"L
SYEXT4X54	54"L
SYEXT4X60	60"L
SYEXT4X72	72"L
SYEXT4X84	84"L
SYEXT4X96	96"L

**FITS 5" WIDE FORKS**

SYEXT5X48	48"L
SYEXT5X54	54"L
SYEXT5X60	60"L
SYEXT5X72	72"L
SYEXT5X84	84"L
SYEXT5X96	96"L

**FITS 6" WIDE FORKS**

SYEXT6X48	48"L
SYEXT6X54	54"L
SYEXT6X60	60"L
SYEXT6X72	72"L
SYEXT6X84	84"L
SYEXT6X96	96"L



**FORK PROTECTORS**  
**PROTECTORES DE HORQUILLA**  
**PROTECTEURS DE FOURCHES**

- Protective Buffer- Provides cushioned non-slip surface between cargo & steel lift truck forks eliminating costly damage experienced during loading and unloading process
- Non-slip Surface - Cargo remains securely positioned while in transit.
- Polyurethane - Engineered to provide durability and unmatched service life.
- Easy to install - Slides over standard lift truck forks and remains secure with provided mounting hardware.
- OEM Attachment - Designed to extract OEM specifications.
- Ready-to-ship - Popular sizes in stock for immediate shipment.



**PART# SY41866**  
**FORK DOLLIES**  
**MANIPULADOR DE HORQUILLAS**  
**CHARIOTS À FOURCHE**

- A safe and easy way to move your forks or mount them on a carriage
- Up to fork section 6" x 2" (150mm x 50mm)



- PART# SY41868**
- A safe and easy way to move your forks or mount them on a carriage
  - For 2 forks up to section 6" x 2 3/4" (150mm x 70mm)

**PART# SYELH-05-5**

**ECONOMY LEVER HOIST**  
**POLEA NIVELADORA ECONÓMICA**  
**PALAN À LEVIER ÉCONOMIE**

**Grade 80 Chain**

- Alloy steel chain rated grade 80
- Drop forged hooks have durable latches and swivel 360°
- Deformation indicators on throat opening of both hooks
- Completely enclosed Weston type brake mechanism
- One year no questions asked repair or replace
- Meets ASME B30.21 specifications
- Rugged storage bag included FREE with each purchase
- 500lb maximum capacity
- 5' lift with 9 1/2" headroom



**FREE!**  
Storage Bag

PART #	CAPACITY (POUNDS)	LIFT (FEET)
SYELH-15-5	1,500	5
SYELH-15-10	1,500	10
SYELH-15-20	1,500	20
SYELH-30-5	3,000	5
SYELH-30-10	3,000	10
SYELH-30-20	3,000	20
SYELH-60-5	6,000	5
SYELH-60-10	6,000	10
SYELH-60-20	6,000	20

**PART# SYPLH-15-5**

**PROFESSIONAL LEVER HOIST**  
**POLEA NIVELADORA PROFESIONAL**  
**PALAN À LEVIER PROFESSIONNEL**

**Grade 100 Chain**

- Alloy steel chain rated grade 100
- Drop forged hooks have durable latches and swivel 360°
- Deformation indicators on throat opening of both hooks
- 50% wider hardened ratchet gear and precision bearings
- Triple chain guide for consistent up and down free wheeling with one hand
- Meets ASME B30.21 specifications
- Rugged storage bag included FREE with each purchase
- 1500lb maximum capacity
- 5' lift with 11" headroom



**FREE!**  
Storage Bag

PART #	CAPACITY (POUNDS)	LIFT (FEET)
SYPLH-15-10	1,500	5
SYPLH-15-20	1,500	10
SYPLH-30-5	1,500	20
SYPLH-30-10	3,000	5
SYPLH-30-20	3,000	10
SYPLH-60-5	3,000	20
SYPLH-60-10	6,000	5
SYPLH-60-20	6,000	10

PART#	Description
SYFRKP-4X30	LOAD 4X30
SYFRKP-4X32	LOAD 4X32
SYFRKP-4X36	LOAD 4X36
SYFRKP-4X42	LOAD 4X42
SYFRKP-4X48	LOAD 4X48
SYFRKP-4X60	LOAD 4X60
SYFRKP-5X36	LOAD 5X36
SYFRKP-5X42	LOAD 5X42
SYFRKP-5X48	LOAD 5X48

PART#	Description
SYFRKP-5X54	LOAD 5X54
SYFRKP-5X55	LOAD 5X55
SYFRKP-5X60	LOAD 5X60
SYFRKP-6X36	LOAD 6X36
SYFRKP-6X48	LOAD 6X48
SYFRKP-6X54	LOAD 6X54
SYFRKP-6X55	LOAD 6X55
SYFRKP-6X60	LOAD 6X60

**FIND IT QUICK!!  
ENCUENTRA RÁPIDO!  
TROUVEZ RAPIDEMENT!!**

Connector lockouts	2	Gravity feed eye wash	9	Steel safety bollard	17
Lock out box	2	Emergency eye wash station	9	Structural guard rail	17
Energic battery charger	2	Mirrors	9-10	Steel spring loaded bollards	17
Dc/DC converters	2	Magnets	10	Pipe railing	18
Cable retractors	3	Training packages	10	Interlocking portable railing	18
Acid cleaner battery station cleaning kit	3	Counterbalance lift truck (train videos)	10	Self closing steel gates	18
Quick response acid spill kit	3	Narrow aisle lift truck (train videos)	10	Expand-a-gate	19
Battery watering monitor	3	Pallet truck (low lift) (train videos)	10	Structual guard rail	19
Battery handling ppe kit	3	The ultimate training package (train videos)	10	Cargo bars	19
Tanker (PPE)	3	Seats	11	Strip door	19
Watering cart	3	Seat belt - retractable	11	Aluminum truck wheel riser	20
Watering guns	4	Pallet trucks	11	Edge of dock leveler	20
Deionizer	4	Chain drum lifter	11	Dock seal	20
Fillwatch battery watering system	4	Fork truck drum carrier/rotator	11	Dock traffic system	20
Lifting beam	4	Fork truck drum positioner	11	Molded rubber hose and cable bridge	20
Chain and hook	4	Drum clutcher	11	Wheel chocks	20
Battery disconnecting switches	4	Fork truck horizontal drum cradle	12	Polyester double-ply lifting slings	21
Meteorlite® 2 strobe	4	Portable manual drum lifter	12	Cargo strapping	21
Meteorlite® 5 strobe	4	Economical mechanical drum transporter	12	Dock lights	21
Meteorlite® 2 led strobe	5	Fork truck drum gripper	12	Pallet pullers	21
Meteorlite® 5 led strobe	5	Automatic eagle beak drum lifter	12	Trailer stablizing jacks	21
Auxiliary lighting	5	Fork mounted poly drum handlers	12	Pry level bar	21
Light bar	5	Drum dolly/caddies/lifters	12	Dock Bumpers	22
Safe-T-Alert®	5	Stackable drum racks	12	Dockboards/plates	22-23
Safe-T-Lock®	5	Drum rack	13	Yard ramps	23
Decal kit	5	Drum grippers	13	Hydraulic carts	24
First aid kit	5	Drum jacks	13	Hydraulic scissor lift table	24
Back-up handle	6	Drum trucks/carts	13	Platform truck (hardwood)	24
Safe tilt angle	6	Drum rings	13	Stock truck	24
Fan kit	6	Drum headers/vents	14	Handle carts	24
Fire extinguisher	6	Steel drum funnel	14	Hand trucks	25
Windshield/canopy	6	Cylinder hand truck	14	Skid lifter	25
Weather cab enclosure	6	Cylinder brackets	14	Warehouse ladders	26
No smoking sign/lpg changing area	6	LP tank storage	14	Carpet rams	26
Carbon monoxide detector card	6	LP tank truck	14	Traffic sign	26
PPE-4 lpg complete lpg ppe	6	Low profile hopper	15	Fork wear pads	26
Leak detection compound	6	Self dumping hoppers	15	Fork tip protector	26
Cylinder gloves	7	Low profile parts hopper	15	Load backrests	26
Lift truck log	7	Fork mounted front loader	15	Fork extentions	27
Checklist caddy	7	Portable steel hoppers	15	Fork dollies	27
Operator's manual cases	7	Fork truck pintle, and hook	16	Fork protectors	27
Storage/cup holder	7	Fork truck booms	16	Lever hoists	27
Mag-Klip™ cup board	7	Hoisting hook plate	16		
Mag-Kaddy™	7	Hoisting hook	16	FIND IT QUICK	28
Magnum Mag-Kaddy™	7	Work platform	17		
Safety glasses	8	Fold down for truck work platform	17		
Fall protection kit	9	Rack guard with rubber bumper	17		
Hard hats	9	Guard rail end cap	17		
Bio med eyewash	9	Low profile rack guard	17		
Emergency shower/face wash	9				

Put our most popular part numbers at your fingertips with our Quick Reference Guides.

These handy guides contain  
-part numbers, photos and technical information  
required to assist in identifying the specific product that meets your requirements.



### Meteorlite® QRG

Strobes, Flashers, Strobes/Flasher Accessories, LED Strobes, LED Modules, Brake-Tail/ Backup, Auxiliary Lighting, Rotating Beacons, Mini Bars

### Safe-T-Alert® QRG

Back-up Alarms, Alarms & Bells, Switches, Horns

### Chargers QRG

Featuring Energic Plus Chargers  
Single, Three Phase & Multi-Volt Chargers, Helpful  
Charger Guide

### Seats QRG

9 Different Manufacturers, Seat Belts

### Brushes, Brooms, & Pad Drives QRG

Available for a Variety of Applications

### Fork QRG

Class 2, 3, & 4 Pallet Forks, Class 2 & 3 Carpet Rams  
including Alternate Parts Offerings

### Chain QRG

ANSI Roller & Rollerless Chain, AL Series Leaf Chain, ANSI BL Series Leaf Chain

### Paint QRG


A Fold Out Poster of the Most Popular Colors



### Tires QRG

Featuring TotalSource® press-on and solid pneumatic tires

### Poly Wheels QRG

The most popular sizes and application chart





**United States**

- Olathe, Kansas  
(800) 255-4109
- Latin America Sales  
+1 (913) 768-3099
- Grayslake, Illinois
- Mira Loma, California
- Duncan, South Carolina
- Harrisburg, Pennsylvania

**Canada**

- Mississauga, Ontario  
(800) 509-7668
- Port Coquitlam, British Columbia  
(888) 661-8611

**Mexico**

- Cuautitlán Izcalli, EDM  
+52 (55) 5861-8550

